



SNOWMOBILE  
ACCESSORIES



2025



# SHARE THE RIDE





## **ACCESSORIES**

|       |                                |
|-------|--------------------------------|
| 02-05 | <b>COVERS &amp; TRANSPORT</b>  |
| 06-10 | <b>WINDSHIELDS</b>             |
| 11-20 | <b>BAGS &amp; STORAGE</b>      |
| 22-31 | <b>BUMPERS</b>                 |
| 32-33 | <b>UTILITY</b>                 |
| 34-37 | <b>HANDLEBARS</b>              |
| 38-41 | <b>PROTECTION</b>              |
| 42-45 | <b>YOUTH</b>                   |
| 46-55 | <b>PERFORMANCE</b>             |
| 56-61 | <b>BACKCOUNTRY ACCESS</b>      |
| 62-63 | <b>TRACKS</b>                  |
| 64-70 | <b>HANDLING &amp; TRACTION</b> |
| 71-73 | <b>MAINTENANCE</b>             |
| 74-77 | <b>BELTS</b>                   |
| 78-82 | <b>OIL &amp; CARE</b>          |



# COVERS & TRANSPORT



8639-522



8639-523



8639-155



8639-160



8639-393



8639-392



8639-161



8639-394



## POLYESTER COVERS

- Fade-resistant polyester fabric with water-repellent coating for excellent weather resistance
- 4 cinch-down side straps and hook-and-loop front fasteners enclose spindles
- Adjustable windshield strap and convenient zippered gas cap panel
- Trail versions fit low, mid, and high windshields, mirrors, and hand guards
- MTN versions fit low windshields and hand guards only
- Trailerable

**8639-524** | '24-'25 ZR, Riot 600/858

**8639-525** | '24-'25 M 600/858

**8639-526** | '24-'25 ZR, Riot 600/858 WITH PASSENGER SEAT

**8639-329** | '12-'24 M, Riot X, XF High Country, King Cat 141-165-in. (Except '24 600)

**8639-328** | '12-'25 F, ZR, XF 129-137-in. (Except '24-'25 600/858)

**8639-330** | '15-'25 PANTERA 3/6/7000 146-in.

## PREMIUM COVERS

- Durable, fade-resistant Surlast premium fabric with water-repellent coating for ultimate outdoor storage protection
- 4 quick-adjusting cinch-down side straps and hook-and-loop front fasteners enclose spindles
- Advantage covers replace side straps with full-length perimeter straps and tunnel top straps for unrivaled ease of use and a snug fit everytime
- Adjustable windshield strap and convenient zippered gas cap panel
- Trail versions fit low, mid, and high windshields, mirrors, and hand guards
- MTN versions fit low windshields and hand guards only
- Trailerable

**8639-522-ADVANTAGE** | '24-'25 ZR, Riot 600/858

**8639-523-ADVANTAGE** | '24-'25 M 600/858

**8639-155** | '12-'25 F; ZR; XF 129-137-in. (Except '24-'25 600/858)

**8639-392** | '12-'24 M; Riot X; XF High Country; King Cat 141-165-in. (Except '24 600)

**8639-160** | '12-'24 M; Riot X; XF High Country; King Cat 141-165-in. (Except '24 600)

**8639-161** | '12-'24 M; Riot X; XF High Country; King Cat 141-165-in. (Except '24 600)

**8639-393** | '20-'25 Riot 6000/8000/9000; '20 Riot X 146-in.

**8639-394** | '21-'24 Riot X 146-in..





## CANVAS COVERS

- Excellent longevity from specially treated canvas
- Adjustable windshield strap provides a custom windshield/mirror fit (not included on 2-up Touring models)
- 4 cinch-down side straps
- Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel
- Fits low, mid and high windshields and mirrors
- Trailerable

**8639-001** | '12-'25 F, ZR, XF 129-137-in. (Except '24-'25 600/858)

**8639-003** | '12-'24 M, Riot X, XF High Country, King Cat 141-165-in. (Except '24 600)

**8639-150** | '20-'25 RIOT 6000/8000/9000; '20 Riot X 146-in.

**8639-360** | '25 ZR 400; '21-'24 BLAST ZR

**8639-361** | '25 M, Norseman, Riot 400; '21-'24 BLAST M, LT, XR

**8639-362** | '25 Riot Touring; '22-'24 XR TOURING; '21-'25 400/BLAST 146-in. With Passenger Seat

**8639-006** | '15-'25 Panthera 3/6/7000 146-in.

**8639-002** | '12-'25 F, ZR, XF 129-141-in. with Passenger Seat (Except '24-'25 600/858)

**8639-008** | '18-'24 Norseman; '16-'17 Bearcat 3000 LT 146-154-in.

**8639-152** | '18-'24 Norseman With Passenger Seat



## CUSTOM COVER

- Custom-fit options for non-current sled models
- Excellent longevity from specially treated canvas
- Cinch-down side attachments
- Adjustable hook-and-loop front fasteners
- Easy-access, zippered gas cap panel
- Trailerable

**8639-004** | '15-'20 Lynx; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1

**8639-005** | '15-'20 Lynx LT; '15-'18 Bearcat LT 2000; '08-'14 T570, T21; '09-'14 Bearcat 570

**8639-010** | '16-'19 Bearcat 7000 XT

**7639-998** | '15-'20 Bearcat 2000 XT; '09-'15 XT

**5639-017** | '03-'06 Firecat, Sabercat 128-in.

**5639-018** | '99-'06 Z, ZL, ZR, ZRT, Thundercat, T660 121-in.

**6639-044** | '06-'11 Crossfire; '06-'07 M 136-141-in.

**5639-241** | '05-'11 M 153-162-in.

**5639-020** | '00-'06 Panther, Panthera, T660 2-Up Touring



## HALF COVER

- Prevents snow buildup on seat and dash
- Lightweight and ideal for overnight trips
- Includes hooks to attach to running boards
- Not recommended for trailering

**6639-701** | '15-'25 Panthera 3/6/7000 146-in.



## SHOP COVER

- Lightweight nylon cover is ideal for storage and keeping away dust
- Secure-fitting elastic bottom cord stretches to fit a wide variety of models
- Not recommended for trailering or prolonged outdoor use

**8639-527** | UNIVERSAL (EXCEPT MODELS WITH PASSENGER SEAT)



## PREMIUM COVER CLIP & STRAP

**1641-479** | FITS COVERS WITH PLASTIC CINCH STRAPS



## COVER HOOK & STRAP (4-PACK)

**0636-527 - BLACK** | FITS COVERS WITH FABRIC CINCH STRAPS



## RATCHET TIE-DOWNS

- Secure sled to your trailer with heavy-duty nylon straps
- Spring-loaded retainer clips prevent S-hooks from falling off
- Comfortable ratchet-handle grip for easy operation
- 1.125-in. x 102-in. strap features Arctic Cat logos and 1,200-lb. load rating
- Sold in pairs

**7639-183** | Universal



## EZ WHEELZ

- Move your sled around the garage or load and unload your trailer with ease
- Protects carbides and driving surface from damage and provides full steering control
- Premium stainless steel and aluminum construction
- 10-in. airless tires with sealed ball bearings for unmatched durability and long life
- Install or remove in seconds without tools or permanent hardware
- Sold in pairs, no assembly required

**8639-550 - BLACK** | Universal '12-'25

# WINDSHIELDS



FEATURED ON SLED:  
8639-521 HIGH TOURING WINDSHIELD  
8639-514 EVO FRONT BUMPER (MEDIUM GREEN)



# FIND THE PERFECT WINDSHIELD TO MATCH YOUR STYLE OF RIDING.

**PERFORMANCE RIDERS :** A low cut windshield will be more aerodynamic and agile, and the chances of damage caused by impact are reduced.

## EXTREME LOW



2.5-IN.

## LOW SNO PRO



5-IN.

## MID PERFORMANCE



12-IN.

## TOURING AND LONG DISTANCE RIDERS:

A tall snowmobile windshield will be perfect to keep you warm and protected from the wind.

## MID TOURING



15-IN.

## HIGH TOURING



18-IN.



## MID TOURING

- Provides good wind protection and a stylish appearance
- 12-in. H x 24-in. W
- No-drill auxiliary fastener installation (Hardware included)

8639-520 | '24-'25 ZR, Riot, M 600/858



## HIGH TOURING

- Provides excellent wind protection and a stylish appearance
- 17-in. H x 27-in. W
- No-drill auxiliary fastener installation (Hardware included)
- Accepts 6639-770 Mirrors

8639-521 TINT | '24-'25 ZR, Riot, M 600/858



## LOW SNO PRO®

- 5-in. H x 20-in. W
- Compatible with hand guards

1616-245 BLACK | '24-'25 ZR, Riot, M 600/858

1616-489 ORANGE | (Same application as 1616-245) **NEW**

1616-428 MEDIUM GREEN | (Same application as 1616-245)



## WINDSHIELD HARDWARE KIT

- Includes replacement LH and RH molded retainers and fasteners

8639-148 | Catalyst Mid Touring, High Touring, & Enduro Windshields



## EXTREME LOW

- 2.5-in. H x 16-in. W
- Accepts Hand Guards

7639-692 BLACK | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models



## LOW SNO PRO

- 5-in. H x 20-in. W
- Compatible with hand guards

7639-696 BLACK | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models

7639-607 WHITE | (Same application as 7639-696)





## PRO MTN

- Unique design acts as a low-profile windshield while providing glove/goggle storage
- Semi-rigid construction holds its shape

**7639-293 BLACK** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models



## MID PERFORMANCE

- 12-in. H x 21-in. W
- 7639-838 measures 10-in. H x 23-in. W
- Compatible with hand guards

**7639-700 BLACK** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models

**7639-701 MEDIUM GREEN** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models



## XC

- Shaped to the unique demands of terrain racing, this windscreen offers ample wind protection in a slim, aggressive shape
- 14-in. H x 25-in. W
- Compatible with hand guards

**7639-913 TINT** | '14-'25 7/9000; '14-'24 8000; '14-'23 6000; '14-'17 4/5000; '16-'19 3000; '12-'13 F, M, XF 800/1100; '12-'14 Sno Pro 600



## MID LXR

- 13-in. H x 27-in. W
- Accepts 6639-902 Mirrors
- **NOTE:** Handlebar riser may need adjustment to provide clearance between hand guards and the windshield

**8639-134 BLACK** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models

**8639-135 MEDIUM GREEN** | (Same application as 8639-134)



## MID TOURING

- 15-in. H x 27-in. W
- Accepts 6639-630, 6639-770 Mirrors

**7639-688 BLACK** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models

**8639-077 MEDIUM GREEN** | (Same application as 7639-688)



## HIGH TOURING

- 7639-383, 7639-371 measure 18-in. H x 28-in. W
- Accepts 6639-630, 6639-770 Mirrors

**7639-383 BLACK** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models

**7639-371 BLACK** | '14-'17 4/5/6/8000; '14-'16 9000; '12-'13 800/1100 Models



## WINDSHIELD DART

**667790** | Mid Touring; High Touring; Pro MTN Windscreens



## WINDSHIELD RETAINER

**2606-853** | '15-'19 Pantera, Bearcat 3/7000 High Touring Windshield



## LOW SNO PRO

- Measures 4-in. H x 18-in. W
- Compatible with hand guards

**7606-555 - BLACK** | '25 400; '21-'24 Blast



## MID PERFORMANCE

- Measures 10-in. H x 23-in. W
- Compatible with hand guards

**8639-504 -TINT** | '25 400; '21-'24 Blast



## HIGH TOURING

- Measures 16-in. H x 24-in. W


**1616-089** | '25 400; '21-'24 Blast

A close-up photograph of an Arctic Cat sled. The sled is dark-colored with a black seat. Two large, dark-colored saddlebags are mounted on the sides. The sled is parked on a snowy surface. A green diagonal graphic element is in the top left corner.

# BAGS & STORAGE

FEATURED ON SLED:  
8639-496 ATACH 14L TUNNEL PACK  
8639-500 ATACH 22L SADDLEBAGS





**ATACH**  
LATCHING SYSTEM

# CONNECT YOUR ACCESSORIES IN A SNAP

**Add and remove accessories on your sled in seconds, revolutionizing how you customize your ride.** This rugged, high-strength composite design is suited for the harshest conditions and requires no modification, fasteners or tools. With ATACH, it doesn't matter if you're in the showroom, at home, or out on the trail – it's easier than ever to configure accessories.



## HOW TO INSTALL

- Open the dust covers, if equipped
- Set the accessory over the desired mounting location and drop the interlocking features into place
- Slide the accessory forward until both sides click into position, securing it to the vehicle
- If utilized, use the provided key in the lock to prevent theft

## HOW TO REMOVE

- Unlock with the provided key to disable theft-prevention
- Press and hold the button on both sides and slide the accessory rearward
- Lift the accessory from the vehicle
- Replace the dust covers, if equipped



## ATACH LITE TUNNEL PACK

- Expandable, soft-sided bag to bring what you need on the trail or in the backcountry
- Premium, water-resistant materials and anti-icing zippers keep contents secure in extreme conditions
- Variable 10 to 20-liter capacity

8639-611 10-20L | '24-'25 ZR, Riot, M 600/858; ATACH ProCross Base Kit **NEW**



## ATACH CARRIER PACK

- Extra-large bag to bring along all the gear you need for an extended trip
- Detachable shoulder strap to easily carry your gear when you reach your destination
- Soft-sided construction with premium, water-resistant materials and anti-icing zippers keep contents secure in extreme conditions
- 60-liter capacity

8639-613 60L | '24-'25 ZR, Riot, M 600/858 **NEW**



## ATACH TUNNEL PACK

- Robust, all-purpose bag to bring essential gear with you
- Semi-rigid construction with premium materials, glove-friendly buckles, and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 14-liter (8639-496), 22-liter (8639-497) capacity

8639-496 14L | '24-'25 ZR, Riot, M 600/858; ATACH ProCross Base Kit

8639-497 22L | '24-'25 ZR, Riot, M 600/858; ATACH ProCross Base Kit



## ATACH CATALYST PACK

- Designed specifically for the Catalyst platform, this bag combines roomy storage and a sleek appearance
- Semi-rigid construction with premium materials and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 17-liter capacity

8639-498 17L | '24-'25 ZR, Riot, M 600/858



## ATACH HIGH COUNTRY PACK

- Ultimate technical riding bag with a low profile and optimized features for the backcountry
- Lid stores most shovels fully assembled and doubles as a detachable utility tray
- NOTE:** Avalanche experts recommend carrying a shovel in your backpack and a second shovel on the sled
- Semi-rigid construction with premium materials, waterproof interior pockets, glove-friendly buckles, and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 21-liter capacity


8639-499 21L | '24-'25 ZR, Riot, M 600/858; ATACH ProCross Base Kit



## ATACH SADDLEBAGS

- Designed specifically for the Catalyst platform, these saddlebags offer extra carrying capacity for big adventures  
**NOTE:** Secured to vehicle with another ATACH accessory or ATACH Latch Kit (Sold separately) Not compatible with accessory running boards
- Semi-rigid construction with premium materials, glove-friendly buckles, and anti-icing zippers keep contents safe and accessible in the harshest conditions
- 11-liter capacity each (Sold in pairs)

8639-500 22L | '24-'25 ZR, Riot, M 600/858



## ATACH CRUISER BOX

- Robust, molded polyethylene container includes keyed compartment locks for extra security
- Stacking capability allows other ATACH accessories to be installed on top or in parallel
- Lid includes convenient carrying handle and is sealed to keep out dust and moisture
- 11-in. L x 15-in. W x 10-in. H, 17-liter capacity

8639-617 17L | '24-'25 ZR, Riot, M 600/858 **NEW**



## ATACH CROSSTREK RACK

- Secure bulky items that conventional storage won't accommodate
- Lightweight, all-welded aluminum construction and durable powder coat finish
- Rubber floor inlay prevents scratches and keeps cargo in place
- Pair with Cargo Net (8639-615) to contain smaller items
- 20-in. L x 15-in. W x 5-in. H

8639-614 3.75 BLACK | '24-'25 ZR, Riot, M 600/858; ATACH ProCross Base Kit **NEW**



## CARGO NET

- Premium, durable sewn net stretches to secure loose cargo in ATACH CrossTrek Rack

8639-615 | Vehicles with ATACH CrossTrek Rack Equipped **NEW**



## ATACH PLATFORM

- Simple, lightweight platform provides universal base for custom ATACH accessories
- Aluminum construction and durable powder coat finish
- 11-in. L x 15-in. W

8639-616 | '24-'25 ZR, Riot, M 600/858; ATACH ProCross Base Kit **NEW**





## ATACH BASE KIT

- The ATACH accessory mounting system brings unparalleled convenience and security to the riding experience
- Constructed from durable, high-strength composite materials to function reliably in any environment
- Includes 2 base plates, 2 dust covers, hardware, and instructions

**8639-506** | '13-'25 F, ZR, Riot, M, XF Models (Except '24 600/858)



## ATACH LATCH KIT

- Includes 2 latch mechanisms, integrated locks with keys, (8639-552 only) hardware, and instructions

**8639-552 LOCKING** | ATACH Accessories

**8639-551 NON-LOCKING** | ATACH Accessories



## TRAIL PACK

- Durable and stylish bags provide easy-access storage for the long-distance touring rider
- Semi-rigid construction
- Includes cam-lock or strap-and-hook attachments
- Available in two sizes; Mid fits 129-137-in. models, Large fits 137-in. models
- 27-liter (8639-029), 33-liter (8939-030), 18.5-liter (8639-363) capacity

**8639-029 MEDIUM** | '13-'25 F, ZR, Riot, XF 129-146-in. (Except '24-'25 600/858)

**8639-030 LARGE** | '13-'25 ZR, Riot, XF 137-146-in. (Except '24-'25 600/858)

**8639-363 MEDIUM** | '21-'25 400/Blast

**8639-033**



**8639-034**



## TUNNEL PACK

- Large capacity bags provide convenient, economical storage
- Strap-and-hook attachment fits most flat-tunnel models
- Available in two sizes; Mid fits 129-in. and 137-in. models, Large fits 137-in. models
- 20-liter (8639-033), 30-liter (8639-034) capacity

**8639-033 MEDIUM** | '13-'25 F, ZR, Riot, XF 129-146-in. (Except '24-'25 600/858)

**8639-034 LARGE** | '16-'25 ZR, Riot, XF 137-146-in. (Except '24-'25 600/858)



## TUNNEL GEAR BAG

- Large storage capacity
- Built-in cinch straps keep cargo secure
- Strap-and-hook attachment
- Measures 20-in. L x 12-in. W x 8-in. H

**6639-704** | '15-'20 Lynx; '12-'14 F5, F570; '07-'11 F; '09-'11 Z1



## XL TUNNEL GEAR BAG

- Extra large, heavy-duty storage bag
- Semi-rigid construction with expandable top section
- Cam-lock attachment with quarter-turn lock system eliminates straps and hooks
- Measures 22-in. L x 12-in. W x 7-in. H

**7639-894** | '13-'25 F, ZR, Riot, M, XF Models (Except '24-'25 600/858)



## MOUNTAIN SHOVEL PACK

- These rugged, low-profile bags offer easy-access storage and space to stow a shovel
  - Semi-rigid construction and cam-lock quarter-turn attachment eliminates straps and hooks
  - Mid 17-liter, Large 28-liter capacity
- NOTE:** Avalanche experts recommend carrying a shovel in your backpack and a second shovel on the sled

**8639-031 MEDIUM** | '12-'25 M, Riot; (Except '24-'25 600/858) M 400/Blast; XF High Country; King Cat 141-165-in.

**8639-032 LARGE** | Same application as 8639-031



## MOUNTAIN PACK

- Tunnel storage bags specialized for the mountains
- Sleek, compression-molded construction to shed snow
- Cam-lock attachment with quarter-turn lock system eliminates straps and hooks
- 7639-433 features removable lid, cargo dividers, and cinch straps to keep contents secure
- Large 18-liter, (22-in. L x 15-in. W x 6-in. H)  
Mid 14-liter (13-in. L x 14-in. W x 8-in. H) capacity

**7639-433 LARGE** | '10-'24 M; '21-'25 Riot, Riot X; (Except '24-'25 600/858) '13-'19 XF Models

**7639-432 MEDIUM** | Same application as 7639-433



## MOUNTAIN TUNNEL PACK

- Low-profile storage with adjustable straps and quick-attaching clips for simple removal
- Designed to fit models with short Mountain seat (Non-electric start)
- Measures 16-in. L x 12-in. W x 4-in. H

**6639-798** | '14-'24 M 8000; '14-'23 M 6000 (Except ES Models)



## WINDSHIELD BAG

- Offers out-of-the-way storage for smaller items
- Fits neatly behind windshield

**7639-691** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models

**7639-289** | '14-'17 4/5/6/8000; '14-'16 9000; '12-'13 F, M, XF 800/1100



## DASH CADDY

- Dash storage with sturdy polyethylene construction
- Compartment door features a foam seal to keep contents safe

**8639-219** | '17-'25 9000; '18-'24 8000; '14-'25 7000; '18-'23 6000; '17-'19 3000 Models



## HANDLEBAR BAG

- Easy-access storage
- Convenient hook-and-loop attachment

**8639-185** | '07-'25 Models With Trail Handlebar

**8639-186** | '05-'25 Models With MTN Handlebar

**8639-364** | '21-'25 400/Blast



## PANTERA HANDLEBAR BAG

**6639-715** | '15-'25 Pantera 3/6/7000



## CUSTOM HANDLEBAR BAG

- Lightweight storage for any sled

**6639-716** | Universal



## TANK BAG

- Convenient, easy-access storage
- Easily removes for refueling
- Large map window

**7639-287** | '13-'25 F, ZR, Riot, M, XF Models (Except '24-'25 600/858)





## HEATED GOGGLE BAG

- Engine heat dries goggles, masks or gloves while you ride  
**NOTE:** Do not leave goggles in holder for extended periods; heat may damage goggles.

**7639-591** | '17-'25 9000; '18-'24 8000; '18-'23 6000 Models

**5639-767** | '14-'25 7000; '14-'17 4/5/6/8000; '17-'19 3000; '14-'16 9000; '12-'13 F, M, XF 800/1100 Models

**8639-366** | '21-'25 400/Blast



## CARGO BAG

- Large main storage area
- Quick-attach mounting straps

**7639-764** | '18-'24 Norseman; '16-'17 Bearcat 3000 LT 146-154"



## HARD SADDLEBAGS

- Premium injection-molded saddlebags provide clean, lockable storage
- Features large-capacity storage and quick-release attachment
- Includes right and left-side bags, each measures 21-in. L x 10-in. W x 8-in. H

**7639-568** | '15-'25 Pantera 3/6/7000; '16-'18 XF CrossTour 6/7/9000

## SPEEDRACK® II SYSTEM

- A simple, fast and strong accessory attachment system with accessories that can be added or removed in seconds
- Attach in two easy steps:
  - Position the accessory
  - Insert SpeedLock™ and press down thumb lock



## SPEEDRACK BASE KIT

- SpeedRack Base attaches to the tunnel to provide the mount for SpeedRack accessories
- Includes front and rear SpeedRack base mounts and one SpeedLock

**7639-342** | Universal '13-'25 (Except '24-'25 600/858 Models; '20 Riot; '17-'19 XF Cross Country; Pantera; Crosstour)



## SPEEDRACK GEAR BAG

- Compact storage bag attaches to SpeedRack Base
- Required SpeedLock is included in SpeedRack Base Kit

**8639-178** | Works with SpeedRack Base Kit



## SPEEDRACK GEAR RACK

- Lightweight aluminum rack provides capacity and tiedown points for cargo
- Attaches to SpeedRack Base Kit
- Required SpeedLock is included in SpeedRack Base Kit
- 10-in. L x 11-in. W

**7639-344 BLACK** | Works with SpeedRack Base Kit

**7639-345 TEAM ARCTIC GREEN** | Works with SpeedRack Base Kit

**7639-346 ORANGE** | Works with SpeedRack Base Kit

**7639-347 WHITE** | Works with SpeedRack Base Kit

**7639-348 MEDIUM GREEN** | Works with SpeedRack Base Kit

**7639-349 FIRE RED** | Works with SpeedRack Base Kit



## SPEEDRACK CARGO BOX

- Durable molded polyethylene construction
- Removable lid with foam seal
- Built-in cinch strap keeps cargo secure
- Attaches to SpeedRack Base
- Required SpeedLock is included in SpeedRack Base Kit
- 20-in. L x 12-in. W x 10-in. H, 25-liter capacity

**7639-351** | Works with SpeedRack Base Kit



## SPEEDRACK CARGO RACK

- Tubular steel rack provides added storage capacity
- Attaches to SpeedRack Base Kit
- Required SpeedLock is included in SpeedRack Base Kit
- 13 in. L x 15 in. W

**7639-350** | Works with SpeedRack Base Kit



## SPEEDLOCK

- Drop-in system quickly attaches with easy-to-use thumb locks
- Durable cast-aluminum components with one-click unlocking for fast removal

**2436-501** | Works with SpeedRack Base Kit



## SPEEDLOCK COVER

- Slip-on rubber cover retains mechanical mobility of SpeedLock in wet, slushy conditions

**2436-540** | Works with SpeedRack



## TUNNEL RACK

- Slim, stylish, powder-coated aluminum rack
- Tunnel Reinforcement Kit (M models) recommended for large loads
- 11-in. L x 14-in. W

**7639-336 BLACK** | Universal (Flat-Top Tunnel)

**7639-337 TEAM ARCTIC GREEN** | Universal (Flat-Top Tunnel)

**7639-338 ORANGE** | Universal (Flat-Top Tunnel)

**7639-339 WHITE** | Universal (Flat-Top Tunnel)



## BILLET TUNNEL RACK

- Durable billet aluminum with anodized finish
- Includes extensions to customize width
- Tunnel Reinforcement Kit (M models) recommended for large loads
- 7.75-in. L x 12.25-14-in. W x 2.5-in. H

**8639-056** | BLACK

**8639-057** | GRAY

**8639-058** | PURPLE

**8639-230** | BRONZE



## LOW PROFILE TUNNEL RACK

- Stylish, lightweight, powder-coated aluminum
- Tunnel Reinforcement Kit (M models) recommended for large loads
- 8-in. L x 14-in. W

**8639-059 BLACK** | Universal (Flat-Top Tunnel)

**8639-060 MEDIUM GREEN** | (Same application as 8639-059)

**8639-062 ORANGE** | (Same application as 8639-059)

**8639-063 PURPLE** | (Same application as 8639-059)

**8639-237 ELECTRIC BLUE** | (Same application as 8639-059)

**8639-166 ALUMINUM** | (Same application as 8639-059)



## TUNNEL PAD

- Protects the top of the tunnel when carrying cargo
- Adhesive attachment

**7639-997** | Universal (Except \*24-\*25 600/858 Models)



## RACK STRAP

- Strong, heavy-duty nylon straps
- Quick-release buckle
- Easily secure gear

**7639-463** | Universal







# BUMPERS



FEATURED ON SLED:  
8639-521 HIGH TOURING WINDSHIELD  
8639-514 EVO FRONT BUMPER (MEDIUM GREEN)



## EVO BUMPER

- Single-piece front bumper provides rigid protection from obstacles and a custom appearance
- High-strength, lightweight aluminum construction features extruded tubes and rugged center bash plate
- Durable, factory-matched powder-coat finish
- 2.6-lbs.

**8639-605 BLACK** | '24-'25 ZR, Riot, M 600/858 **NEW**

**8639-514 MEDIUM GREEN** | Same application as 8639-605

**8639-515 FIRE RED** | Same application as 8639-605

**8639-516 SKYE BLUE** | Same application as 8639-605



## PRO BUMPER

- Aluminum bumper provides added protection
- Durable factory-matched powder-coat finish
- 4.5-lbs.

**8639-400 GEN 2 BLACK** | '18-'24 8000; '19-'25 7000; '18-'23 6000; '21-'25 400/4000; '19 3000

**8639-401 GEN 2 MEDIUM GREEN** | (Same application as 8639-400)

**8639-402 GEN 2 HYPER GREEN** | (Same application as 8639-400)

**7639-301 GEN 2 BLACK** | '17-'25 9000

**6639-724 GEN 1 BLACK** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100

**6639-723 GEN 1 ALUMINUM** | Same application as 6639-724



## PRO MTN BUMPER

- Lightweight aluminum bumper with a stylish, aggressive design
- Open design minimizes snow buildup
- Durable factory-matched powder-coat finish
- 3.0-lbs.

**8639-197 GEN 2 BLACK** | '18-'24 8000; '19-'25 7000; '18-'23 6000; '19 3000

**8639-189 GEN 2 MEDIUM GREEN** | (Same application as 8639-197)

**8639-190 GEN 2 HYPER GREEN** | (Same application as 8639-197)

**8639-192 GEN 2 ORANGE** | (Same application as 8639-197)

**8639-196 GEN 2 FIRE RED** | (Same application as 8639-197)

**7639-308 GEN 1 BLACK** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100

**7639-307 GEN 1 ALUMINUM** | (Same application as 7639-308)



## PROCLIMB™ BUMPER

- Large-diameter top tube provides added protection
- Open-tube design lets snow drop through
- Durable factory-matched powder-coat finish
- 3.5-lbs.

**8639-405 GEN 2 BLACK** | '18-'24 8000; '19-'25 7000; '18-'23 6000; '21-'25 400/4000; '19 3000

**8639-390 GEN 2 BLACK TEXTURED** | (Same application as 8639-405)

**8639-406 GEN 2 MEDIUM GREEN** | (Same application as 8639-405)

**8639-407 GEN 2 HYPER GREEN** | (Same application as 8639-405)

**8639-409 GEN 2 FIRE RED** | (Same application as 8639-405)

**6639-286 GEN 1 BLACK** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100





## EVO REAR BUMPER

- Single-piece rear bumper provides improved ergonomics, enhanced chassis stiffness, and a custom appearance
- High-strength, lightweight aluminum construction features extruded tubes and contoured reinforcement plates
- Rear grab handle optimized for accessibility and minimal drag in deep snow
- Durable, factory-matched powder-coat finish
- Accepts factory or accessory running boards

**8639-606 BLACK** | '24-'25 ZR 600/858 129-in., M 600/858 146-in. **NEW**

**8639-517 MEDIUM GREEN** | (Same application as 8639-606)

**8639-495 SKYE BLUE** | (Same application as 8639-606)

**8639-607 BLACK** | '24-'25 ZR 600/858 137-in., M 600/858 154-in. **NEW**

**8639-518 MEDIUM GREEN** | (Same application as 8639-607)

**8639-483 SKYE BLUE** | (Same application as 8639-607)

**8639-608 BLACK** | '24-'25 Riot 600/858, M 858 165-in. **NEW**

**639-00018 MEDIUM GREEN** | (Same application as 8639-608) **NEW**

**8639-519 FIRE RED** | (Same application as 8639-608)

**8639-484 SKYE BLUE** | (Same application as 8639-608)



## PROCROSS™ REAR BUMPER

- Rugged, 3-piece aluminum bumper features stylish side plates and tubular grab handle for ergonomic function
- Durable powder-coat finish

**7639-316 BLACK** | '13-'23 F, ZR 129-in. Models

**7639-317 TEAM ARCTIC GREEN** | (Same application as 7639-316)

**7639-318 ORANGE** | (Same application as 7639-316)

**7639-319 WHITE** | (Same application as 7639-316)

**7639-323 BLACK** | '18-'24 ZR, XF 6/7/8000; '17-'25 ZR, XF 9000 137-in.

**7639-324 TEAM ARCTIC GREEN** | (Same application as 7639-323)

**7639-325 ORANGE** | (Same application as 7639-323)

**7639-326 WHITE** | (Same application as 7639-323)

**7639-331 TEAM ARCTIC GREEN** | '21-'24 Riot X; '16-'24 M 141-146-in.; '13-'17 XF, '16-'19 XF High Country 137-141-in.; '16 ZR 137-in.

**7639-332 ORANGE** | (Same application as 7639-331)

**7639-333 WHITE** | (Same application as 7639-331)



## PRO MTN REAR BUMPER

- Rugged bumper features aluminum side plates and a tubular grab handle
- Embossed features add style and strength
- Durable powder-coat finish
- Accepts Pro MTN Running Boards
- 141-154-in., 4.5-lbs.; 162-165-in., 5.2-lbs.

**8639-085 BLACK** | '12-'24 M 153-154-in.; '20-'25 Riot; (Except '24-'25 600/858) '20 Riot X; '17-'19 XF High Country 153-in.; '12-'15 XF High Country

**8639-086 MEDIUM GREEN** | (Same application as 8639-085)

**8639-279 HYPER GREEN** | (Same application as 8639-085)

**8639-282 FIRE RED** | (Same application as 8639-085)

**8639-091 BLACK GLOSS** | 12-'24 M, King Cat 162-165-in.

**8639-092 MEDIUM GREEN** | (Same application as 8639-091)

**8639-286 HYPER GREEN** | (Same application as 8639-091)

**8639-289 FIRE RED** | (Same application as 8639-091)

# THE ALL-NEW CATALYST G8 DISPLAY KIT

Upgrade base model gauge to the Arctic Cat G8 powered by Garmin 8.0-in touch screen with full instrumentation to monitor vehicle performance.



## CATALYST G8 PREMIUM DISPLAY KIT - 639-00007

'24-'25 ZR, RIOT, M 600/858

## CATALYST G8 PREMIUM DISPLAY KIT EU - 639-00011

'24-'25 ZR, RIOT, M 600/858

Includes display, harness, hardware, and instructions

## CATALYST G8 STANDARD DISPLAY KIT - 639-00012\*

'24-'25 ZR, RIOT, M 600/858

\*Does NOT include Group Ride Radio Module + antenna + cable

**NOTE:** Requires replacement hood

### REPLACEMENT HOOD

|                        |                       |
|------------------------|-----------------------|
| 1616-506 BLACK         | 606-00020 GALAXY BLUE |
| 1616-495 MEDIUM GREEN  | 606-00021 STAR WHITE  |
| 1616-496 SUNSET ORANGE | 1616-497 SKYE BLUE    |



## MAIN MENU

Provides simple navigation between Map, Vehicle Information, Media, Phone Applications and much more. The main menu is user customizable.



## VEHICLE DATA SCREEN

Includes coolant temperature, fuel level, speedometer, odometer, RPMs, reverse indicator, and user customizable data fields.



## STATUS BAR

Status bar at the bottom of all screens offers quick navigation, active warnings, and key vehicle information.



## GROUP RIDE

Without cellular coverage, users can use the integrated Group Ride Radio to see, text, and track up to 20 riders. Paired with a compatible Bluetooth headset, riders can also communicate with other riders through 2-way voice. Riders without an integrated device can download the free mobile app and join a cellular based Group Ride as well as enjoy all mapping features. \*Radio based Group Ride not available in Canada.



## TRAIL MAPS

Pre-loaded snowmobile trail maps for the United States and Canada that include points of interest such as restaurants, and gas stations. Map views are layered to include topography, private/public lands, and various other features. Users can also plan and track routes.



## PHONE CONNECTIVITY

Receive smart notifications, access dial pad, view contacts, receive live weather forecasts, look at the radar and play music when paired to a mobile device.

# BUILT FOR ADVENTURE

**Stay connected** with Garmin™ Tread, the 5.5-in. navigator that is built to withstand the toughest terrains, temperatures, and weather.

- « Rugged design and glove-friendly touchscreen made for the toughest riding environments
- « Preloaded topography, road, and land maps, compatible with trail maps
- « Pair with compatible Bluetooth device for handsfree communication and enhanced features through the official Tread app
- « Update device via Wi-Fi™, no subscription needed

## CHOOSE BETWEEN

### PREMIUM OR STANDARD TREAD GPS KITS



#### TREAD

##### PREMIUM GPS KIT

TREAD GPS KIT\* - 3441-555

Includes GPS, Group Ride Radio module + antenna + cable, universal mount, power cable, and user guide

##### STANDARD GPS KIT

TREAD GPS KIT\* - 3441-557

Includes GPS, universal mount, power cable, and user guide



#### HYBRID

##### TREAD GPS INSTALL KIT - 8639-528

'24-'25 ZR, RIOT, M 600/858

- « Mounts Tread in a neutral position ahead of the gauge for a clear view
- « Custom semi-rigid mount isolates screen from vibration and opens to access heated storage compartment below

**Includes:** GPS mount, power harness, antenna mount, and instructions



#### TRAIL

##### TREAD GPS INSTALL KIT - 8639-436

'18-'24 8000; '17-'25 9000; '14-'25 7000; '18-'23 6000; '17-'19 3000 MODELS

- « Mounts Tread above the gauge for superior visibility from a seated riding position
- « Custom housing protects all components, compatible with most windshields (Excludes Mid Performance and Pro MTN)

**Includes:** GPS console mount, power harness, hardware, and instructions



#### MOUNTAIN

##### TREAD GPS INSTALL KIT - 8639-435

'18-'24 8000; '17-'25 9000; '18-'23 6000 MODELS

- « Mounts Tread below the gauge for easy viewing from a standing riding position and protection from backcountry obstacles
- « Integrated heated storage bag for goggles, phone, or other items

**Includes:** GPS bag, power harness, antenna mount, and instructions







- Plan your path based on your skill and comfort level using Garmin **Trail Rating** information.



- **Built in** altimeter, barometer, compass, pitch and roll gauges help you navigate any challenging terrain.

**GARMIN.**



FOR MORE TREAD FEATURES AND COMPLETE DETAILS, VISIT [ARCTICCAT.COM](http://ARCTICCAT.COM) OR A DEALER NEAR YOU.  
GARMIN - GARMIN IS A REGISTERED TRADEMARK OF GARMIN, INC. OR ITS SUBSIDIARIES

Package quantities, specifications and materials may change without notice. For a dealer near you, visit [arcticcat.com](http://arcticcat.com).



## WIND DEFLECTORS

- Lightweight, stylish deflectors add wind protection
- Sold as a pair, with right and left deflectors

**7639-816 GEN 2 TRAIL** | '18-'24 6/8000 (Except M, '21-'23 Riot X, '24 600); '17-'25 9000; '19-'25 7000; '19 3000 Models

**6639-453 GEN 1** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-13 800/1100 Models



## WINDSHIELD MIRRORS

- Mounts to the outside of the windshield
- 6639-630, 6639-770 fit accessory Mid Touring and High Touring windshields
- 6639-902 fits Mid LXR windshields
- Sold in pairs

**6639-630** | ProCross Mid Touring & High Touring Windshields

**6639-770** | ProCross Mid Touring & High Touring; Catalyst High Touring Windshields

**6639-902** | ProCross Mid LXR Windshields



## HOOD-MOUNTED MIRRORS

- Mounts to the hood panel
- Adjustable shaft for optimum view
- Works with all production or accessory windshields
- Sold in pairs

**8639-276 GEN 2** | '17-'25 9000; '18-'24 8000; '19-'25 7000; '18-'23 6000; '21-'25 400/4000; '19 3000 Models

**5639-832 GEN 1** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-'13 800/1100



## COMPACT MIRROR

- Mounts to the inside of the windshield
- Sold individually

**4639-565** | '15-'20 Lynx; '15-'18 Bearcat 2000; '12-'14 F5, F570; '07-'11 F; '08-'14 T570, Bearcat 570; '09-'11 Z1



## HAND MIRROR

- Easy on/off with hook-and-loop strap

**4992-810** | Universal



## ATACH PASSENGER SEAT

- Bring a passenger along in comfort with the convenience of ATACH mounting
- Install or completely remove in seconds, without tools, with a lock and 2 keys for extra security
- Roomy, built-in storage box keeps travel gear protected
- Includes passenger seat with backrest, handholds, tunnel reinforcements, and wind deflectors
- 8639-502 also includes passenger hand warmers, heated seat, and heated shield outlet

**NOTE:** Heavy-duty suspension springs are recommended for 2-up riding, see Handling section

**8639-501 STANDARD** | '24-'25 ZR, Riot 600/858

**8639-502 HEATED** | Same application as 8639-501



## PASSENGER SEAT

- Share the riding experience in comfort and style
- Detachable base allows easy conversion from solo to 2-up riding and back again
- Includes passenger seat with backrest, handholds, tunnel mounts and footrests

**NOTE:** Riot, XF High Country, and Cross Country models with mountain seat require a compatible trail (ZR) operator seat

**NOTE:** Heavy-duty suspension springs are recommended for 2-up riding, see Handling section

**8639-217** | '13-'25 F, ZR, Riot, (See Note) XF (Except '24-'25 600/858)



## PASSENGER SEAT

- Easily converts your sled to carry a passenger
- Includes passenger seat with backrest, handholds, tunnel mounts and footrests

**NOTE:** Heavy-duty suspension springs are recommended for 2-up riding, see Handling section

**8639-410** | '25 Riot, Norseman 400; '21-'24 Blast LT, XR

**7639-826** | '18-'24 Norseman ; '16-'17 Bearcat LT 3000



## PASSENGER SEAT

- Passenger seat with backrest, handholds, and footrests
- Includes seat assembly and tunnel-mounted storage box

**NOTE:** Heavy-duty suspension springs are recommended for 2-up riding, see Handling section

**7639-833** | '18-'19 Bearcat 7000 XT





## PASSENGER WIND DEFLECTORS

- Semi-rigid guards add style and protect passenger hands from the cold

**8639-437** | Riot 400 Touring; Blast XR Touring; 8639-410, 7639-826 Passenger Seats




## PASSENGER MUFFS

- Water- and wind-resistant nylon outer
- Easy-attach hook-and-loop straps
- Mounts with or without standard wind deflectors

**7639-361** | '15-'24 Pantera; '15-'20 Lynx LT; '15-'18 Bearcat LT 2000; '08-'14 T570, TZ1; '09-'14 Bearcat 570

**8639-177** | Fits Passenger Seat 8639-217



## PASSENGER HAND WARMERS

- Increase 2-up rider comfort by adding passenger hand warmers
- 8639-212 includes elements, wiring harness, passenger control switch, hardware, and instructions
- 6639-281 includes wiring harness, passenger control switch, hardware, and instructions

**8639-212** | Fits 8639-217 Passenger Seat

**6639-281** | Fits 8639-410, 7639-826 Passenger Seats; Blast XR Touring



## HEATED SEAT

- Provides rider warmth and comfort
- Includes complete heated trail seat assembly, wiring, and instructions

**8639-539 BLACK** | '24-'25 ZR, RIOT, M 600/858



## HEATED SEAT KITS

- Provides rider warmth and comfort
- Includes heating element and wiring
- 6/8000 models require LED headlight

**7639-968** | '18-'24 8000, '18-'23 6000 Models with LED Headlight (Except M)

**7639-965** | '18-'25 ZR 7000; '18-'19 ZR 3000; '18-'19 XF High Country 9000

**7639-966** | '18-'19 Pantera 3000; '18 Pantera 7000



## HEATED SHIELD OUTLET

- Dash-mounted outlet for heated shield

**7639-041** | Universal '12-'25



## HEATED SHIELD ADAPTER

- Quickly adapts a heated shield cord to the sled's accessory outlet

5639-645 | Universal



## ELECTRIC START KITS

- Crank up your machine effortlessly with the turn of a key
- Includes starter components, ring gear, wiring harness, hardware, and battery

**NOTE:** M 8000 requires larger fuel tank and seat from ES model

8639-133 | '19-'24 8000 Models

7639-846 | '18 8000 Models

7639-126 | '14-'17 8000; '12-'13 F, XF, M 800

7639-501 | '14-'17 ZR 6000; '15-'17 M, XF High Country 6000



# UTILITY



## OVERLOAD KITS

- Added spring tension to support 2-up riding
- Increased tow load pull and carry
- Quick engagement/disengagement

**8639-378** | '25 Riot, Norseman 400; '21-'24 Blast LT, XR

**7639-978** | '19-'24 Norseman; '16-'18 XF CrossTour; '16-'17 Bearcat 3000; '14-'16 Bearcat XTE



## HITCH KITS

- Sturdy steel draw bar kit allows confident towing with pivot or pintle-style hitch
- Installs below factory or accessory rear bumper
- Maximum tow rating 20-lb. vertical load, 150-lb. drawbar (pull)

**8639-529 PIVOT** | '24-'25 ZR 600/858 129-in.

**8639-530 PINTLE** | (Same application as 8639-529)

**8639-531 PIVOT** | '24-'25 ZR 600/858 137-in. (EXCEPT R XC), M 600/858 146-in.

**8639-532 PINTLE** | (Same application as 8639-531)

**8639-533 PIVOT** | '24-'25 RIOT 600/858, M 600/858 154-in.

**8639-534 PINTLE** | (Same application as 8639-533)





## HITCH KITS

- Strong, secure steel bumper available with a pivot or pintle hitch
- Most kits include 8 mounting pockets
- Maximum tow rating 20-lb. vertical load, 150-lbs. drawbar (pull)

**7639-356 PIVOT** | '17-'25 9000, '18-'24 8000, '19-'25 7000, '18-'23 6000 137-in.

**7639-357 PINTLE** | (Same application as 7639-356)

**6639-991 PIVOT** | '21-'24 Riot X; '16-'19 XF High Country, M 141-in.; '16-'17 5/6/8000, '16 9000, '16-'18 7000 XF CrossTrek, ZR 137"; '13-'15 XF 137-141"

**6639-911 PINTLE** | (Same application as 6639-991)

**6639-992 PIVOT** | '20-'25 Riot; '20 Riot X; '12-'24 M 153-154-in.; '17-'19 XF High Country 153-in.; '13-'15 XF High Country (Except '24 600)

**6639-912 PINTLE** | (Same application as 6639-992)

**6639-993 PIVOT** | '12-'24 M 162-165-in.

**6639-913 PIVOT** | (Same application as 6639-993)

**6639-061 PIVOT** | '12 F 128"

**4639-723 PIVOT** | '15-'20 Lynx LT; '15-'18 Bearcat LT 2000; 2008-'14 T570, T21; 2009-'14 Bearcat 570



## TOW HITCH

- Quick and easy installation
- Mounts to standard bumper
- For light-duty use

**6639-541 PIVOT** | '25 ZR, RIOT 7/9000; '12-'24 M, RIOT, ZR, XF, F (EXCEPT '24 600)

**8639-416 PIVOT** | '18-'25 NORSEMAN; '21-'25 400/BLAST; '15-'25 PANTERA; '16-'18 XF CROSSTOUR

**6639-740 PINTLE** | (Same application as 8639-416)

**5639-324 PIVOT** | '15-'20 LYNX; '12-'14 F5, F570; '09-'11 CF, CFR, M; '10-'11 F, Z1



## TOW STRAP

- Tow a disabled sled safely and easily with durable nylon strap
- Includes handy storage pouch

**NOTE:** Not for towing/transporting people (Requires solid hitch)

**4639-247** | Universal

# HANDLEBARS

FEATURED ON SLED:  
8639-354 PROCROSS LIGHTED HAND GUARDS (BLACK)  
7639-342 SPEEDRACK BASE KIT  
7639-351 SPEEDRACK CARGO BOX



## FLEX-TEC LITE HAND GUARDS

- Legendary protection with a slender gauntlet profile optimized for backcountry riding
- Flexible backbone design
- Models with mountain handlebars require trimming
- Sold in pairs
- Includes machined aluminum mounts

**8639-510 BLACK** | '07-'25 Trail Handlebar, '12-'25 MTN Handlebar Models

**8639-511 SKYE BLUE** | (Same application as 8639-510)

**8639-512 FIRE RED** | (Same application as 8639-510)



## FLEX-TEC HAND GUARDS

- Handles the toughest conditions while keeping your hands warm and protected
- Flexible backbone design
- Models with mountain handlebars require trimming
- Sold in pairs, includes machined aluminum mounts

**8639-467 GEN 3 BLACK** | '07-'25 Trail Handlebar, '12-'25 MTN Handlebar Models

**8639-468 GEN 3 WHITE** | (Same application as 8639-467)

**8639-469 GEN 3 MEDIUM GREEN** | (Same application as 8639-467)

**8639-470 GEN 3 ORANGE** | (Same application as 8639-467)

**8639-048 GEN 2 PURPLE** | (Same application as 8639-467)

### REPLACEMENT PARTS

**1641-488 PLASTIC STIFFENER (PAIR)** | Flex-Tec and Flex-Tec Lite Hand Guards

**1641-489 MOUNT ASSEMBLY (PAIR)** | Flex-Tec and Flex-Tec Lite Hand Guards

**1641-108 HARDWARE KIT** | Flex-Tec and Flex-Tec Lite Hand Guards



## PROCROSS HAND GUARDS

- Stylish, injection-molded guards add style and protection
- Models with mountain handlebars require trimming
- Sold in pairs, includes nylon mounting arms

**8639-352 BLACK** | '07-'25 Trail Handlebar, '12-'25 MTN Handlebar Models

**8639-353 MEDIUM GREEN** | (Same application as 8639-352)



## PROCROSS LIGHTED HAND GUARDS

- Stylish, injection-molded guards with LED accent lighting
- Lighted guards include LED caps and wiring
- Models with mountain handlebars require trimming
- Sold in pairs, includes nylon mounting arms

**8639-354 BLACK** | '07-'25 Trail Handlebar, '12-'25 MTN Handlebar Models

**8639-355 MEDIUM GREEN** | (Same application as 8639-354)



## HAND GUARD LIGHT KIT

- Adds LED accent lighting to standard ProCross Hand Guards
- Includes LED caps and wiring
- Sold in pairs

**8639-356** | Fits ProCross Hand Guards





## TEAM ARCTIC HAND GUARDS

- Lightweight, injection-molded plastic guards add warmth and protection
- Models with mountain handlebars require trimming
- Sold in pairs, includes nylon mounting arms

**8639-345 BLACK** | '07-'25 Trail Handlebar, '12-'25 MTN Handlebar Models

**8639-346 MEDIUM GREEN** | (Same application as 8639-345)

**8639-347 ORANGE** | (Same application as 8639-345)

**8639-348 WHITE** | (Same application as 8639-345)



## HAND GUARD EXTENSIONS

- Quick-attach guards add warmth and protection
- Sold in pairs

**8639-176** | Fits Team Arctic Hand Guards



## XC MUFFS

- Water and wind-resistant nylon outer with a quilted lining
- Rolls up on handlebar when not in use
- Easy-attach hook-and-loop straps with elastic grip straps

**7639-995** | Universal



## TOURING MUFFS

- Water and wind-resistant nylon outer with a semi-rigid design
- Folds flat for storage
- Easy-attach hook-and-loop straps with elastic grip straps
- Clear insert for visibility of controls

**8639-175** | Universal **BEST SELLER**



## ADJUSTABLE BAR RISER

- Adjust handlebar position for any rider or conditions in seconds without tools
- Pull handle design is easy to use and provides 2.5-in. of telescoping height adjustment in 5/8-in. increments
- Custom billet and extruded aluminum construction for long-lasting durability
- Black anodized finish with machined accents

**8639-476 4.5-7.0-in.** | '12-'25 Models With Fixed Steering Post (Except '24-'25 600/858)



## BAR RISERS

- Strong extruded aluminum
  - Black powder-coat finish
- NOTE:** Due to control cable and brake line restrictions, 7.5-in. and 8.5-in. risers are recommended for ProClimb and Ascender models only

**8639-337 2.0-in.** | '12-'24 Models With Fixed Steering Post

**8639-338 3.5-in.** | (Same application as 8639-337)

**8639-339 4.5-in.** | (Same application as 8639-337)

**8639-340 5.5-in.** | (Same application as 8639-337)

**8639-341 6.5-in.** | (Same application as 8639-337)

**8639-342 7.5-in.** | '24 M 8000, '12-'23 M Models With Fixed Steering Post

**8639-343 8.5-in.** | (Same application as 8639-342)



## LAYDOWN STEERING POST

- Converts M models with vertical steering to a fixed, laydown system
- Includes steering post and upper support
- Accepts standard bar riser; optional heights available separately

**8639-136** | '14-'24 M (Except '24 600); '14-'19 XF High Country



## FIXED VERTICAL STEERING POST

- Converts M models with vertical steering to a fixed, laydown system
- Includes steering post and upper support
- Accepts standard bar riser; optional heights available separately

**7639-985** | '20 Riot X 8000; '14-'19 XF High Country 6/8000; '12-'15 M; '12-'13 XF High Country 800



## MOUNTAIN HANDLEBAR

- Includes over-molded grab strap, grips and heating elements

**7639-983 LIGHTWEIGHT (2.0-LBS.)** | '19-'25 M 6/8000

**7639-984 HEAVY-DUTY (2.9-LBS.)** | (Same application as 7639-983)

**7639-489 LIGHTWEIGHT (2.0-LBS.)** | '12-'18 M; '14-'18 XF High Country; '12-'15 XF

**7639-490 HEAVY-DUTY (2.9-LBS.)** | (Same application as 7639-489)



## RUFFIAN GRIPS

- Soft compound grips offer better shock absorption
- Includes two 8-in. grips, cut to length -in.

**5639-655** | Universal



## PROCROSS GRIPS

- Slim, comfortable design
- Includes two 6.2-in. grips

**7639-398** | Universal



## GRIP-IT GLUE

- Specially formulated for applying hand grips to recreational vehicles
- Bonds up to 12 sets of grips

**1054-151 1 OZ** | UNIVERSAL



## HANDLEBAR SWITCH GUARDS

- Helps prevent accidental bumping of control switches
- Includes switch guard and adhesive

**8639-097** | Universal '19-'25

**5639-580** | Universal '07-'18



# PROTECTION

FEATURED ON SLED:  
8639-468 FLEX-TEC HAND GUARDS (WHITE)





## SKID PLATE

- Full-length protection from nose to heat exchanger
- Self-reinforced composite design for exceptional impact and abrasion resistance, significantly lighter than HDPE
- Pair with Track Drive Protectors (8639-508/509) for complete underbody coverage

**8639-507 CARBON** | '24-'25 ZR, Riot, M 600/858 **NEW**



## TRACK DRIVE PROTECTORS

- Protect dropcase and brake components from damage
- Self-reinforced composite design is resilient and lighter than billet
- Pair with Skid Plate (8639-507) for complete underbody coverage
- Sold in LH/RH pairs

**8639-508 CARBON** | '24-'25 M 600/858 **NEW**

**8639-509 CARBON** | '24-'25 ZR, Riot 600/858 **NEW**



## SKID PLATES

- Provides impact protection from A-arms to heat exchange
- Heavy-duty polyethylene protects vital components

**NOTE:** Some models require trimming around exhaust outlet

**7639-676 BLACK** | '18-'24 ZR, Norseman 6/8000; '20-'24 Riot 6/8000; '20 Riot X 8000; '18-'19 XF, Pantera 6/8000; '19 ZR, Norseman, Pantera 3000

**8639-065 MEDIUM GREEN** | (Same application as 7639-676)

**8639-231 HYPER GREEN** | (Same application as 7639-676)

**7639-678 ORANGE** | (Same application as 7639-676)

**7639-421 BLACK** | '17-'25 9000 (Except M, King Cat)

**8639-427 BLACK** | '18-'24 M 8000; '18-'20 M 6000; '21-'24 Riot X

**8639-429 MEDIUM GREEN** | (Same application as 8639-427)

**7639-682 ORANGE** | (Same application as 8639-427)

**8639-428 HYPER GREEN** | (Same application as 8639-427)

**8639-389 BLACK** | '21-'25 400/Blast

**7639-684 BLACK** | '17-'19 M, King Cat 9000

**7639-425 BLACK** | '17 Mountain Cat 8000

**7639-720 BLACK** | '14-'17 ZR, M, XF 4/5/6/8000; '14-'16 ZR, M, XF 9000; '13 F, M, XF 800/1100

**7639-089 BLACK** | '14-'18 ZR, XF, M, Pantera 7000

**7639-090 TEAM ARCTIC GREEN** | (Same application as 7639-089)



## TUNNEL FLARES

- Deflects snow spray away from the rider
- Sold in pairs

**NOTE:** Not compatible with accessory running boards

**8639-505** | '24-'25 ZR, Riot, M 600/858 **NEW**

**7639-969** | '14-'25 ZR; '20-'25 Riot; '12-'24 M, Riot X; '12-'19 XF; '13 F (Except '24-'25 600/858)



## TANK PADS

- Provides comfort and grip
- Sold in pairs

**7639-417 GEN 2 TRAIL** | '18-'24 6/8000 (Except M, '21-'24 Riot X, '24 600); '17-'25 9000; '19-'25 7000; '19 3000

**7639-774 GEN 2 MTN** | '18-'24 M 8000; '21-'24 Riot X; '21-'25 400/Blast; '18-'20 M 6000

**7639-413 GEN 1** | '14-'17 4/5/6/8000; '14-'18 3/7000; '14-'16 9000; '12-'13 800/1100



## SNOWFLAP

- Make your machine stand out with a custom color snow flap

**6639-398 TEAM ARCTIC GREEN** | '12-'24 M; '20-'25 Riot, Riot X; '14-'25 ZR; '13-'19 XF; '13 F (Except '24-'25 600/858)

**5639-843 ORANGE** | '12-'24 M; '20-'25 Riot, Riot X; '14-'25 ZR; '13-'19 XF; '13 F (Except '24-'25 600/858)



## ALPHA RAIL BRACE KIT

- Heavy-duty rail braces enhance the strength of the ALPHA ONE rear suspension for extreme riders
- Twice as strong as billet and half the weight (1.2-lbs. total including hardware)
- Includes braces, hardware, and instructions

**8639-291 BLACK** | '19-'25 M ALPHA ONE 146-165"; '25 M 400; '21-'24 RIOT X, BLAST M



## TWIN RAIL BRACE KIT

- Upgrade your twin-rail M suspension with full-length Hardcore braces for outstanding durability in rough conditions
- Includes braces, hardware, and instructions

**8639-170 BLACK** | '17-'19 M 153-in.

**8639-171 ALUMINUM** | (Same application as 8639-170)

**7639-147 ALUMINUM** | '16 M 153-in.



## TUNNEL REINFORCEMENT KIT

- Recommended when carrying fuel or heavy loads
- Includes internal tunnel braces and hardware
- Provides alignment holes for mounting Arctic Cat Tunnel Racks

**8639-210** | '14-'24 M 153-154-in.; '20-'25 Riot; '20 Riot X; '17-'19 XF High Country 153-in. (Except '24-'25 600/858)

**8639-211** | '14-'24 M, King Cat 162-165-in.



## TETHER SWITCH

- Stops engine in the event you fall off your sled
- Attaches to your jacket D-ring

**8639-074** | '18 ZR, M, XF, Norseman 6/8000; '17 ZR 6000 RS

**8639-075** | '18 ZR, M, XF 9000

**5639-859** | '14-'17 6/8000; '12-'13 800

**5639-860** | '14-'17 5/9000; '14-'18 7000; '16-'18 3000; '12-'13 1100/1100T







# YOUTH





## COVER

- Custom-fit cover made from durable canvas
- Accepts low or high windshield
- Trailerable

8639-011 | '18-'25 ZR 200

8639-012 | '18-'25 ZR 120



## HIGH WINDSHIELD

- Adds warmth and protection
- 10-in. high

7639-838 | '18-'25 ZR 120, 200



## HANDLEBAR BAG

- Convenient, easy-attach storage

7639-715 | '18-'25 ZR 200



## TUNNEL PACK

- Compact gear storage
- Quick-attach fasteners
- 16-in. L x 10-in. W x 4-in. H

7639-994 | '18-'25 ZR 200



## TEAM ARCTIC HAND GUARDS

- Provides added hand protection
- Includes injection-molded guards and flexible nylon mounting brackets
- Sold in pairs

8639-213 BLACK | '18-'25 ZR 200

8639-067 MEDIUM GREEN | (Same application as 8639-213)

8639-068 WHITE | (Same application as 8639-213)



## FLEX-TEC HAND GUARDS

- Adds style and warmth
- Flexible backbone design
- Sold in pairs; includes machined aluminum mounts

8639-513 GEN 3 MEDIUM GREEN | '18-'25 ZR 200

7639-911 GEN 2 MEDIUM GREEN | (Same application as 8639-513)

8639-245 GEN 2 FIRE RED | (Same application as 8639-513)

7639-912 GEN 2 PURPLE | (Same application as 7639-911)



## SNOCROSS HANDLEBAR KIT

- Wider than stock handlebar with an adjustable height riser
- Five-position riser adjusts up to 4-in. higher than the standard bar
- Includes heavy-duty steering post, 27-in. W handlebar, hand warmer elements and grips
- 8639-266 converts steering to '20+ specification and includes longer tie-rod

8639-267 | '20-'25 ZR 200

8639-266 | '18-'19 ZR 200



## RUNNING BOARD GRIPS

- Traction grippers provide added boot grip
- Includes aluminum foot grips and nylon edge-roll grips

7639-728 | '18-'25 ZR 200



## TETHER SWITCH

- Stops engine in the event that you fall off your sled
- Attaches to your jacket D-ring

7639-732 | '18 ZR 200



## SPEEDOMETER KIT

- Track your speed, mileage, and RPM
- Includes speedometer/tachometer, speed sensor and mounts

7639-927 | '18-'25 ZR 200



## HEAVY-DUTY SUSPENSION KIT

- Heavier suspension springs for larger riders
- 7639-887 includes ski shock and rear torsion springs
- 8639-208 includes rear torsion springs only

8639-208 | '21-'25 ZR 200

7639-887 | '18-'20 ZR 200



## SPEEDWERX CLUTCH KITS

- Designed and calibrated for increased performance
- Includes springs, rollers and a custom helix

8639-121 | '18-'25 ZR 200 (Rider weight under 150-lbs.)

8639-125 | '18-'25 ZR 200 (Rider weight over 150-lbs.)





## ENGINE PERFORMANCE KIT

- Increase the power and responsiveness of your 120 engine
- Includes performance camshaft, valve springs, carburetor jets and gaskets
- Complies with ISR stock class racing rules

6639-883 | '14-'25 ZR 120; '10-'13 Sno Pro 120



## SKID WHEEL KIT

- Adds wheels to the rear skid for use in low snow conditions
- Includes wheels and mounts

**NOTE:** Not recommended for summer use

7639-963 | '18-'25 ZR 200

7639-967 | '18-'25 ZR 120



## CARBIDE WEARBARS

- Hardweld carbide wearbars provide excellent durability and steering control on hardpack snow and ice
- Sold in pairs

7639-889 4-IN. CARBIDE | '18-'25 ZR 120, 200

7639-890 6-IN. CARBIDE | '18-'25 ZR 120, 200



## ICE TRACK

- This track features 0.5-in. height lugs and is premarked for studs for riding or racing on ice
- Compatible with Traction Kit (7639-900), Tunnel Protector Kit (7639-971)

3602-220 | '18-'25 ZR 200



## TRACTION KIT

- Designed specifically for use with Ice Track (3602-220)
- Requires Tunnel Protector Kit (7639-971)
- Includes tunnel studs, support plates, and nuts

7639-900 72/PK | '18-'25 ZR 200



## TUNNEL PROTECTOR KIT

- Required when installing Traction Kit (7639-900)
- Includes tunnel protectors, mounting hardware, and instructions

7639-971 | '18-'25 ZR 200



# PERFORMANCE

FEATURED ON SLED:  
8639-511 FLEX-TEC LITE HAND GUARDS (SKYE BLUE)





# SHOCKS



## FOX® ZERO QS3

- Calibrated for aggressive trail riding and ditch banging
- Quickly change between 3 specifically calibrated settings (soft, medium and firm) with the flip of a switch to adapt to varying trail conditions
- Fully rebuildable and revalveable

**8639-308 FRONT (PAIR)** | '14-'25 ZR; '20-'25 Riot; '15-'25 Pantera; '12-'19 XF; '12-'13 F 42-in. (EXCEPT '24-'25 600/858)

**8639-319 REAR** | '14-'23 ZR 129-in.

**8639-320 REAR** | '14-'25 ZR; '14-'19 XF 137-in.

**8639-323 REAR** | '20-'25 Riot; '20 Riot X 146-in.



## FOX ZERO QS3R

- Calibrated for aggressive trail riding and ditch banging
- Quickly change between 3 specifically calibrated settings, soft, medium and firm, with the flip of a switch to adapt to varying trail conditions
- Adjustable rebound setting allows your shock to recover from bigger hits quickly enough to absorb consecutive hits and provides increased traction
- Fully rebuildable and revalveable

**8639-309 FRONT (PAIR)** | '14-'25 ZR; '20-'25 Riot



## FOX FLOAT® QS3

- Calibrated for mountain performance riding
- Quickly change between 3 specifically calibrated settings (soft, medium and firm) with the flip of a switch to adapt to varying conditions
- Infinitely adjustable air spring
- Fully rebuildable and revalveable

**8639-312 FRONT (PAIR)** | '16-'24 ProClimb M 36-in.

## FOX FLOAT 3 QSL

- Calibrated for mountain performance riding
- Quickly change between 2 specifically calibrated settings and a third position climb lockout function
- Infinitely adjustable air spring
- Fully rebuildable and revalveable

**8639-325 REAR** | '16-'19 M 153, 162-in.



## FOX FLOAT GUARD KIT

- Protect your Fox Float air shocks from damage and extend the life of critical seals and components
- Simple installation, includes LH and RH guards and hardware
- Compatible with Float 1/2/3, Evol, and Evol R

**7639-640 BLACK** | Fox Float 1/2/3/EVOL/EVOL R Shocks



## ARCTIC CAT IFP

- Soft calibration for comfortable trail riding
- An affordable upgrade for models with hydraulic twin tube shocks
- Fully rebuildable and revalveable

**8639-306 FRONT** | '14-'24 ZR; '20-'24 Riot; '18-'19 Pantera; '12-'19 XF; '12-'13 F 42-in. 6/8000 (Except '24 600)

**8639-307 FRONT** | '14-'25 ZR; '23-'25 Riot; '15-'25 Pantera; '12-'19 XF; '12-'13 F 42-in. 3/7/9000

**8639-317 FRONT** | '14-'23 ZR 129-in.

**8639-318 FRONT** | '14-'25 ZR; '14-'19 XF 137-in.

## ARCTIC CAT IFP PACKAGES

- Upgraded suspension package offers improved ride and consistent performance over bumpy terrain
- Internal Floating Piston (IFP) gas shocks feature adjustable preload and are fully rebuildable and revalveable
- Includes (4) shocks and Instructions

**8639-485** | '25 ZR 400; '21-'24 Blast ZR

**8639-487** | '21-'23 Blast M (Except '23 Blast M LTD)

**8639-486** | '25 Riot, Norseman 400; '22-'24 Blast XR; '21-'24 Blast LT

### SHOCK OPTIONS

| SKI                                                                                             | ARCTIC CAT 1.5 IFP | FOX 1.5 ZERO QS3 | FOX 1.5 ZERO QS3R | FOX FLOAT QS3 |
|-------------------------------------------------------------------------------------------------|--------------------|------------------|-------------------|---------------|
| '14-'24 ZR; '20-'24 Riot; '18-'19 Pantera; '12-'19 XF; '12-'13 F 42-in. 6/8000 (EXCEPT '24 600) | 8639-306           | 8639-308         | 8639-309          | —             |
| '14-'24 ZR; '23-'24 Riot; '15-'24 Pantera; '12-'19 XF; '12-'13 F 42-in. 3/7/9000                | 8639-307           | 8639-308         | 8639-309          | —             |
| '16-'24 PROCLIMB M 36-in.                                                                       | —                  | —                | —                 | 8639-312      |

| REAR ARM                                           | ARCTIC CAT 2.0 IFP | FOX 2.0 ZERO QS3 | FOX FLOAT 3 QSL |
|----------------------------------------------------|--------------------|------------------|-----------------|
| '14-'23 ZR 129-in.                                 | 8639-317           | 8639-319         | —               |
| '14-'23 ZR; '17-'23 Thundercat; '14-'19 XF 137-in. | 8639-318           | 8639-320         | —               |
| '20-'23 Riot; '20 Riot X 146-in.                   | —                  | 8639-323         | —               |
| '16-'19 M 153, 162-in.                             | —                  | —                | 8639-325        |

### QS3

(3 SETTING QUICK POSITION SWITCH)

Choose from three specifically calibrated ride control settings to tune in your own personal ride and handling setting. The QS3 supplies a wide range of adjustments while simply allowing the user to make a change quickly without tools.

### REBOUND DAMPING

Rebound damping controls the rate at which the shock returns after it has been compressed. The proper rebound setting is a personal preference and changes with rider weight, riding style and conditions.



## TIGER SLIDE WEAR STRIP

- High-performance slide rail wear strips provide superior wear resistance and improved track durability in hardpack conditions
- Advanced, high-lubricity, ultra-low friction inserts are angled at 60° for continuous contact with track clips
- Molded white and black swirl pattern for a custom look
- Narrow profile for universal fit, easily cut to length for any application
- Sold individually

**8639-422 WHITE/BLACK** | Universal 121-165-in.



## ICE SCRATCHERS

- Helps prevent wear strip overheating on ice and hardpack
- Use caution when operating sled in reverse
- Some models require the removal of forward idler wheels
- Sold in pairs

**5639-897** | UNIVERSAL TWIN RAIL

**1704-734 LH / 1704-735 RH** | Fits 5639-897 Ice Scratchers

### REPLACEMENT PARTS

**5639-941 -HARDWARE KIT** | Fits 5639-897 Ice Scratchers



## SPEEDWERX HYPERSHIFT CLUTCH KITS

- Developed and trusted by Team Arctic racers and designed for the demands of the high-performance rider
- Provides smooth, hard-pulling acceleration with excellent back shifting and throttle response
- Some models may see improved top speed
- Kits vary by application, but most include adjustable machined weights, H5 alloy primary and secondary springs, and a custom-cut helix
- Calibrated for 0-5000-ft elevation and up to 1.35-in. track lug height unless otherwise indicated

**8639-541 ADAPT** | '22-'24 ZR 8000

**8639-359 TEAM** | '20-'21 ZR 8000

**8639-107 TEAM** | '18-'19 ZR 8000

**7639-856 TEAM** | '17 ZR 8000

**4639-615 ARCTIC** | '14-'15 ZR, XF 8000; '12-'13 F, XF 800

**8639-542 ADAPT** | '24-'25 ZR 600

**8639-540 ADAPT** | '22-'23 ZR 6000

**8639-358 TEAM** | '18-'21 ZR 6000

**7639-855 TEAM** | '17 ZR 6000

**7639-863 TEAM** | '18-'19 M 8000 (6-8,000 FT)

**7639-877 TEAM** | '16-'17 M 8000 (3-6,000 FT)

**7639-859 TEAM** | '16-'17 M 8000 (8-10,000 FT)



## BILLET BRAKE LEVER

- Comfortable, custom design with an anodized finish
- Accepts production park brake lock

**8639-051 BLACK** | Universal '19-'25

**8639-052 GRAY** | (Same application as 8639-051)

**8639-053 PURPLE** | (Same application as 8639-051)

**8639-229 BRONZE** | (Same application as 8639-051)





## SNO PRO® BRAKE LEVER

- Aluminum lever with a curved tip design
- Accepts production park brake lock

**8639-099 BLACK** | Universal '19-'25

**2602-770 BLACK** | Universal '12-'18



## HEAVY-DUTY BRAKE DISC

- Increase stopping performance with cross-drilled, waved Hayes brake rotor
- Fits models with 34T splined driveshaft
- Standard on RR and R-XC models

**2602-720** | '14-'25 ZR; '20-'25 Riot, Riot X; '21-'25 Blast; '12-'25 M; '12-'19 XF; '12-'13 F



## EXTREME-DUTY BRAKE DISC

- Engineered for the extreme demands of snocross racing, this Hayes brake disc provides unmatched stopping power
- Cross-drilled, floating rotor design and stainless steel construction for superior heat dissipation and consistent performance
- Fits models with 34T splined driveshaft
- Requires Racing Brake Pads (3603-017)

**3602-020** | '14-'25 ZR; '20-'25 Riot, Riot X; '21-'25 Blast; '12-'25 M; '12-'19 XF; '12-'13 F



## RACING BRAKE PAD SET

- Improve brake system performance and extend wear life with metallic, heat-resistant brake pads
- Includes 2 pads and 1 retaining pin

**3602-017** | '14-'25 ZR; '20-'25 Riot, Riot X; '21-'25 Blast; '12-'25 M; '12-'19 XF; '12-'13 F



## RUNNING BOARD STIRRUPS

- Aluminum molded braces enclose footwell area to provide improved cornering control for aggressive riders
- Includes LH and RH stirrups, hardware, and instructions
- Not compatible with accessory running boards

**8639-650** | '24-'25 ZR, Riot 600/858 **NEW**



## HARDCORE RUNNING BOARDS

- Aluminum tube running boards offer aggressive grip traction, increased stiffness, and 4-lbs. weight reduction
- Replaces factory running boards with no cutting or permanent modification required
- Available in two versions optimized for on or off-trail models
- Durable, factory-matched powder-coat finish for a custom look
- Accepts factory or accessory rear bumper
- Includes RH and LH boards, hardware, and instructions

**8639-609 BLACK** | '24-'25 M 600/858 **NEW**


**639-00013 MEDIUM GREEN** | (Same application as 8639-609) **NEW**

**8639-610 BLACK** | '24-'25 ZR, Riot 600/858 **NEW**

**8639-466 SKYE BLUE** | (Same application as 8639-610)

**8639-374 MEDIUM GREEN** | (Same application as 8639-610)

**8639-474 FIRE RED** | (Same application as 8639-610)



## ASCENDER RUNNING BOARDS

- Rugged, extruded aluminum boards add strength and reduce snow buildup
- Aggressive edge grip traction
- Installation requires removal of stock running boards
- Includes LH and RH boards
- 6.5-lbs.

**7639-437 BLACK** | '18-'24 M; (Except '24 600) '21-'24 Riot X; '17-'19 Mountain Cat, King Cat

**8639-078 MEDIUM GREEN** | (Same application as 7639-437)

**8639-271 HYPER GREEN** | (Same application as 7639-437)

**8639-079 PURPLE** | (Same application as 7639-437)

**7639-435 BLACK** | '20-'25 Riot; (Except '24-'25 600/858) '20 Riot X; '12-'19 XF High Country; '12-'17 M (Except Mountain Cat)

**7639-436 ALUMINUM** | (Same application as 7639-435)



## PRO MTN RUNNING BOARDS

- Aluminum running boards feature an open-tube design that reduces snow buildup
- Includes aggressive, injection-molded rail grippers
- 6.25-in. front stirrup width
- Front support tube allows a more forward foot position when sidehilling
- Installation requires removal of stock running boards
- Includes LH and RH boards and rail grippers
- Accepts factory or accessory rear bumper
- 8.5-lbs.

**8639-070 BLACK** | '12-'24 M; '20-'25 Riot; (Except '24-'25 600/858) '20 Riot X; '12-'19 XF High Country; '17-'19 King Cat

**8639-071 MEDIUM GREEN** | (Same application as 8639-070)

**8639-274 HYPER GREEN** | (Same application as 8639-070)

**7639-441 TEAM ARCTIC GREEN** | (Same application as 8639-070)

**7639-442 ORANGE** | (Same application as 8639-070)

**7639-443 WHITE** | (Same application as 8639-070)

**8639-275 DYNAMIC CHARCOAL** | (Same application as 8639-070)

### REPLACEMENT PARTS

**7639-955 OUTER CLEAT (PAIR)** | Fits Pro MTN Running Boards

**7639-956 INNER CLEAT (PAIR)** | Fits Pro MTN Running Boards

**1641-388 HARDWARE KIT** | Fits Pro MTN Running Boards



## RUNNING BOARD TRACTION

- Aluminum running board grippers provide added boot traction
- Includes eight grips with rivets

**8639-391** | Universal



## TUNNEL GRIPS

- Raised, rubberized grip features provide additional boot traction on tunnel sides for aggressive riding or racing
- Includes 15.5-in. x 4.25-in. flexible, adhesive-backed panels (Pair)
- Trimmable to fit any machine

**5639-814 CLEAR** | Universal



## ASCENDER PRO SEAT

- Lightweight mountain seat provides improved comfort and function
- 1-in. narrower and 1-in. taller than the standard seat
- Added support at the rear of the seat for taller riders
- Includes black seat assembly and powder-coated aluminum seat frame
- Fits 6/8000 non-electric start models with a short tank and seat

**8639-168 ALUMINUM** | '18-'24 M 8000; '18-'20 M 6000 (Non-ES Models)



## LED HEADLIGHT

- Delivers significantly greater performance than a halogen system
- When the high beam is activated, the low beam also stays on to deliver a light pattern with great range and width
- Features stylish accent lighting
- Includes headlight assembly and wiring harness
- Fits Gen 2 ProCross models with halogen headlight

**7639-989** | '19-'24 Norseman 6/8000; '20-'23 Riot; '19-'20 ZR 6/8000; '19-'20 M; '19 XF High Country

**0709-096** | '18 ZR, M, XF, Norseman, Pantera 6/8000



## PANEL VENT KIT

- Side panel vents allow cool air into the clutches and exhaust
- Laser cut aluminum grills with stainless steel mesh screens to keep the snow out
- Sold as a pair

**7639-972 GEN 2 PROCROSS TRAIL** | '18-'24 6/8000 (Except M, '21-'24 Riot X); '17-'25 9000; '19-'25 7000; '19 3000

**7639-974 GEN 2 PROCLIMB MTN** | '18-'24 M 8000; '21-'24 Riot X; '21-'25 400/Blast; '18-'20 M 6000



## PRO MTN CAP

- Lightweight, stylish billet aluminum

**7639-844 BLACK** | Universal '12-'25

**8639-049 PURPLE** | (Same application as 7639-844)

**8639-228 BRONZE** | (Same application as 7639-844)





## PROCROSS CAP

- Billet aluminum for a custom look

**7639-405 BLACK** | Universal '12-'25



## BILLET RECOIL HANDLE

- Billet aluminum for a custom look

**7639-408 ALUMINUM** | Universal

**7639-924 GRAY** | Universal



## NUMBER PLATE KIT

- Competition-legal racing number plates
- Made of molded plastic with excellent cold weather durability
- Includes RH plate, LH plate, and rivets

**8639-127** | Universal



## FOUR WHEEL KIT

- Replaces tri-hub rear axle wheels and adds outside wheels
- Helps keep track in proper alignment and spread the traction load evenly
- Includes wheels, machined aluminum spacers and hardware

**7639-865 7.12-IN. WHEELS** | '14-'18 ZR 129-in., '13 F (Except RR)

**7639-866 8-IN. WHEELS** | '16-'18 ZR, Thundercat 137-in.; '14-'18 XF; '16-'18 M 141-in.; '12-'18 M 153-162-in.



## REAR WHEEL KIT

- Outside idler wheels help keep track in proper alignment and distribute load evenly
- Recommended when adding studs to the models listed
- Includes wheels, spacer blocks and hardware
- Sold in pairs

**6639-621 BLACK** | '16-'18 ZR, XF Cross Country 137-in.; '16-'19 M, XF High Country 141-in.; '12-'18 M 153-162-in.

**7639-883 MEDIUM GREEN** | (Same application as 6639-621)

**6639-622 TEAM ARCTIC GREEN** | (Same application as 6639-621)

**6639-617 BLACK** | '14-'18 ZR; '12-'13 F 128-129-in.

**6639-618 TEAM ARCTIC GREEN** | (Same application as 6639-617)

**6639-619 ORANGE** | (Same application as 6639-617)



## BILLET AXLE WASHERS

- Billet aluminum washers give your 2-wheel rear axle a custom look
- Sold in pairs

**7639-409 BLACK** | '14-'18 ZR; '12-'18 XF; '09-'18 M; '12-'13 F (Except RR)

**7639-410 ALUMINUM** | (Same application as 7639-409)



## RAIL CAP WHEEL KIT

- Helps prevent track from contacting the slide-rail end caps
- Includes two 2.5-in. x 0.787-in. idler wheels, rail caps and a heavy-duty axle shaft

**7639-987** | '09-'19 M 141, 153, 162-in.; '20-'25 Riot; '20 Riot X; '12-'19 XF 141-153-in.



## WHEEL KITS

- Wheels provide increased performance in low snow conditions
- Includes two 5.63-in. wheels with mounts and hardware

**6639-808** | '15-'18 ZR 129-in.; '16-'18 ZR 137-in.; '14-'19 XF 137-in.

# BACKCOUNTRY ACCESS





The Float avalanche airbag system is designed to keep you at or near the surface during an avalanche. It is one of the most proactive snow safety tool you can carry into avalanche terrain. BCA Float avalanche airbags are both affordable and easily reusable.

- > Features a small 2,700-psi (186 bar) compressed-air cylinder, single-chamber 150-liter airbag and super-efficient venturi system
- > Trigger is located on right shoulder strap, allowing you to keep your right hand on the throttle
- > Includes pressurized air cylinder
- > Hazardous-shipping charges may apply



## FLOAT MTNPRO 2.0 VEST

- Lightweight, protective vest with airbag
- Full front, side and back protection
- Two sizes to fit most riders
- Float 2.0 System
- Shovel not included
- 8.6-lbs., 20-liter capacity

8639-268 | M/L

8639-269 | XL/XXL



## FLOAT 15 TURBO

- Internal tool pocket for probe
- External shovel carry  
Shovel not included
- Float 2.0 System
- 6.1-lbs., 15-liter capacity

8639-111



## FLOAT 25 TURBO™

- Internal tool pocket for probe
- External shovel carry
- Shovel not included
- Float 2.0 System
- 6.9-lbs., 25-liter capacity

8639-112



## FLOAT 2.0 AIR CYLINDER

- Replacement pressurized air canister

1641-374

In an on-mountain emergency, these easy-to-use and efficient transceivers are a necessity among your supplies.



## TRACKER 3

- BCA's most efficient, progressive design and most precise pinpointing
- Instantaneous, real-time display
- Small and light with three antennas for no-nonsense multiple burial searching
- Includes harness

6639-406



## TRACKER S

- Simplicity is speed — our stripped-down, more affordable transceiver
- All the performance of the T3, without motion-sensing or upgradeable software

8639-113

BCA Quick-Lock probes save valuable seconds when time matters. They offer the easiest and fastest assembly on the market, all while freeing up valuable storage space in your pack.



## STEALTH 270

- High-strength aluminum probe with laser etched depth markings for added durability
- Collapsed 17.7-in., extended 8-ft 10-in.
- 10.4-oz.

6639-444

Strong group communication is the key to any successful day riding the mountains. Find separated riders, communicate plans and share observations in real time with the BC Link™ communication system. The Smart Mic user interface is located at your fingertips, meaning you never need to dig your 2-way radio out of your pack to change settings. Glovefriendly controls include: on/off and volume control, channel control, push-to-talk button, loudspeaker, earphone jack and battery indicator. Rechargeable lithium ion battery pack provides up to 4 days of battery life in cold weather. BC Link 2-way radios operate on 22 FRS GMRS channels + 121 sub-channels to ensure minimal interference.



## BC LINK 2.0 RADIO

- 2 watts for increased usable range

8639-114 | ONE SIZE



## BC LINK 1.0 RADIO

- 1 watt

7639-466



## BC LINK REPLACEMENT BATTERY

- Fits BC Link 1.0 Radio

1641-117



## DOZER 1T SHOVEL

- Extendable-handle shovel with an amazing strength-to-weight ratio
- Low-profile, stomp edge blade on an ovo-concave shaft with an ergonomic grip
- Extends up to 30-in. long, 9-in. X 10.5-in. blade, 1.2-lbs.

8639-455





## A-2 EXT SHOVEL

- An integrated shovel system with a larger blade and extendable handle
- Includes an 11.4-in. snow/wood saw stowed inside the grip
- Extends up to 30.5-in. long, 10-in. x 11-in. blade, 1.9-lbs.

5639-786



## D-2 EXT SHOVEL

- Converts from a traditional shovel to a hoe
- Move more snow without lifting it
- Includes a 6.5-in. snow/wood saw stowed inside the shaft
- Extends to 32-in. long, 10-in. x 11-in. blade, 2.1-lbs.

7639-765



## RATTLER

- Maximizes the pulling force of your body
- Made of strong stretch cords bundled in a corrugated vinyl tube
- Safety strap hook attaches to the ski of the stuck sled with a grab handle on the other end

5639-639



## COBRA™

- Sled-to-sled pulling tool
- Made of stretch cords bundled in a corrugated vinyl tube with a hook on both ends
- Creates 300 to 400-lbs. of static pulling force

5639-640



FEATURED ON SLED:  
8639-468 FLEX-TEC HAND GUARDS (WHITE)  
8639-496 ATACH 14L TUNNEL PACK

# TRACKS



## COBRA

- Cupped lugs for superior handling, acceleration and braking on soft, loose trails
- Excellent off-trail performance without sacrificing top speed



## HACKSAW™

- Crescent lug design with recessed tips and cutting edges provides grip on hard-packed trails
- Narrow lug base provides less rolling resistance for maximum top speed



## POWER CLAW™

- This lightweight single-ply track sets the standard for deep snow performance
- Stagger-set, curved-forward paddle towers won't fold over or take a set
- Available in 2.25-in. and 2.6-in. lug heights with 80 or 85 durometer



## 3-IN. POWER CLAW

- Full 3-in. lug height brings maximum control to even the deepest snow
- Lightweight single-ply track features stagger-set, curved-forward paddle towers that won't fold over or take a set
- 80 durometer hardness rating for rugged performance
- Requires 7-tooth driveshaft



## RIPSAW™

- Aggressive angled lug profiles for outstanding traction on groomed trails
- Rigid lugs provide excellent durability



## RIPSAW II

- Lug design combines the best features of Ripsaw and Cobra tracks for excellent all-around performance
- Less track noise for quieter operation on hard-packed trails



## BACKCOUNTRY X

- Snocross-inspired, arched lugs are staggered for outstanding traction in soft snow
- Rigid lug support columns for on- and off-trail performance



## HURRICANE

- Perfect balance between deep snow technology and trail-gripping adrenaline
- 1.75-in. cupped profile design inspired by mountain track lug geometry





## ALPHA ONE TRACK + DRIVER UPDATE KIT

- Upgrade the durability of your Alpha One-equipped machine with reinforced track construction and revised drive sprockets
- Includes updated 2-Window Track and Track Drive Assembly

**0728-277 15 X 146 X 2.6-in. (2.86 P) | '21 Riot X 146-in.**

**0728-278 15 X 154 X 2.6-in. (2.86 P) | '21 M 154-in.**

**0728-280 15 X 154 X 3.0-in. (3.5 P) | '19-'22 M 154-in.**

**0728-279 15 X 165 X 3.0-in. (3.5 P) | '19-'22 M 165-in.**

| PART NUMBER               | DESCRIPTION                                | DIMENSION            | CLIPS                          |
|---------------------------|--------------------------------------------|----------------------|--------------------------------|
| <b>PERFORMANCE 2.52 P</b> |                                            |                      |                                |
| 3602-294                  | HACKSAW (SINGLE-PLY) - 80/70 DURO          | 14 x 121 x 1.00-in.  | CLIPPED EVERY 3RD              |
| 2602-835                  | RIPSAW - 80/70 DURO                        | 15 X 128 X 1.50-in.  | CLIPPED EVERY 3RD              |
| <b>PERFORMANCE 2.86 P</b> |                                            |                      |                                |
| 2602-575                  | RIPSAW II - 80/70 DURO                     | 15 x 129 x 1.00-in.  | CLIPPED EVERY OTHER            |
| 2602-576                  | RIPSAW - 80/70 DURO                        | 15 x 129 x 1.25-in.  | CLIPPED EVERY OTHER            |
| 2602-491                  | COBRA - 80/70 DURO                         | 15 x 129 x 1.35-in.  | CLIPPED EVERY OTHER            |
| 2602-865                  | SNO PRO - 80/70 DURO                       | 15 x 129 x 1.70"     | CLIPPED EVERY OTHER            |
| 3602-202                  | RIPSAW - 80/70 DURO                        | 15 x 137 x 1.00-in.  | FULLY CLIPPED                  |
| 3602-304                  | RIPSAW - 80/70 DURO <b>NEW</b>             | 15 x 137 x 1.25-in.  | FULLY CLIPPED                  |
| 2602-627                  | RIPSAW II - 80/70 DURO                     | 15 x 137 x 1.25-in.  | CLIPPED EVERY OTHER            |
| 3602-303                  | COBRA - 80/70 DURO                         | 15 x 137 x 1.35-in.  | FULLY CLIPPED                  |
| 2602-909                  | COBRA - 80/70 DURO                         | 15 x 137 x 1.60-in.  | CLIPPED EVERY OTHER            |
| 2602-669                  | BACKCOUNTRY X - 80/70 DURO                 | 15 x 137 x 1.75-in.  | CLIPPED EVERY OTHER            |
| 2602-933                  | COBRA - 80/70 DURO                         | 15 x 146 x 1.35-in.  | FULLY CLIPPED                  |
| 3602-237                  | COBRA - 80/70 DURO                         | 15 x 146 x 1.60-in.  | FULLY CLIPPED                  |
| 3602-397                  | HURRICANE                                  | 15 x 146 x 1.75-in.  | CLIPPED EVERY OTHER            |
| 3602-240                  | CHALLENGER - 80 DURO                       | 15 x 146 x 2.00-in.  | FULLY CLIPPED                  |
| <b>TOURING 2.52 P</b>     |                                            |                      |                                |
| 2602-528                  | HACKSAW - 80/70 DURO                       | 15 x 136 x 1.00-in.  | CLIPPED EVERY 3RD              |
| <b>TOURING 2.86 P</b>     |                                            |                      |                                |
| 2602-521                  | RIPSAW II - 80/70 DURO                     | 15 x 146 x 1.00-in.  | CLIPPED EVERY 3RD              |
| 2602-512                  | RIPSAW - 80/70 DURO                        | 15 x 146 x 1.25-in.  | CLIPPED EVERY 3RD              |
| 3602-067                  | COBRA (SINGLE-PLY) - 80/70 DURO            | 15 x 154 x 1.60-in.  | CLIPPED EVERY OTHER            |
| <b>MOUNTAIN 2.86 P</b>    |                                            |                      |                                |
| 3602-372                  | CHALLENGER/ALPHA - 80 DURO                 | 15 x 146 x 2.00-in.  | CLIPPED EVERY OTHER (2-WINDOW) |
| 3602-371                  | CROSS COUNTRY/ALPHA (SINGLE-PLY) - 80 DURO | 15 x 146 x 2.60-in.  | CLIPPED EVERY OTHER (2-WINDOW) |
| 3602-370                  | CROSS COUNTRY/ALPHA (SINGLE-PLY) - 80 DURO | 15 x 154 x 2.60-in.  | CLIPPED EVERY OTHER (2-WINDOW) |
| <b>MOUNTAIN 3.0 P</b>     |                                            |                      |                                |
| 2602-169                  | COBRA (SINGLE-PLY) - 80 DURO               | 15 x 141 x 1.35-in.  | CLIPPED EVERY OTHER            |
| 2602-170                  | COBRA (SINGLE-PLY) - 80 DURO               | 15 x 141 x 1.60-in.  | CLIPPED EVERY OTHER            |
| 3602-143                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 141 x 2.25-in.  | CLIPPED EVERY OTHER            |
| 3602-141                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 141 x 2.60-in.  | CLIPPED EVERY OTHER            |
| 3602-145                  | BACKCOUNTRY X (SINGLE-PLY) - 80/70 DURO    | 15 x 153 x 1.75-in.  | CLIPPED EVERY OTHER            |
| 3602-142                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 153 x 2.25-in.  | CLIPPED EVERY OTHER            |
| 2602-399                  | POWER CLAW (SINGLE-PLY) - 85 DURO          | 15 x 153 x 2.25-in.  | CLIPPED EVERY OTHER            |
| 3602-140                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 153 x 2.60-in.  | CLIPPED EVERY OTHER            |
| 2602-482                  | POWER CLAW (SINGLE-PLY) - 85 DURO          | 15 x 153 x 2.60-in.  | CLIPPED EVERY OTHER            |
| 3602-138                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 153 x 3.00-in.  | CLIPPED EVERY OTHER            |
| 2602-483                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 162 x 2.60-in.  | CLIPPED EVERY OTHER            |
| 2602-484                  | POWER CLAW (SINGLE-PLY) - 85 DURO          | 15 x 162 x 2.60-in.  | CLIPPED EVERY OTHER            |
| 3602-137                  | POWER CLAW (SINGLE-PLY) - 80 DURO          | 15 x 162 x 3.00-in.  | CLIPPED EVERY OTHER            |
| <b>MOUNTAIN 3.5 P</b>     |                                            |                      |                                |
| 3602-368                  | POWER CLAW/ALPHA (SINGLE-PLY) - 80 DURO    | 15 x 154 x 3.00-in.  | CLIPPED EVERY OTHER (2-WINDOW) |
| 3602-369                  | POWER CLAW/ALPHA (SINGLE-PLY) - 80 DURO    | 15 x 165 x 3.00-in.  | CLIPPED EVERY OTHER (2-WINDOW) |
| <b>UTILITY 2.52 P</b>     |                                            |                      |                                |
| 2602-314                  | RIPSAW (SINGLE-PLY) - 80/70 DURO           | 15 x 151 x 1.25-in.  | CLIPPED EVERY OTHER            |
| <b>UTILITY 2.86 P</b>     |                                            |                      |                                |
| 2602-639                  | (SINGLE-PLY) - 60 DURO                     | 20 x 154 x 1.375-in. | CLIPPED EVERY OTHER            |
| 3602-058                  | BEARCLAW (SINGLE-PLY) - 80/70 DURO         | 20 x 154 x 1.375-in. | CLIPPED EVERY OTHER            |
| 3602-059                  | BEARCLAW (SINGLE-PLY) - 80/70 DURO         | 20 x 154 x 1.60-in.  | CLIPPED EVERY OTHER            |

# HANDLING & TRACTION



FEATURED ON SLED:  
8639-468 FLEX-TEC HAND GUARDS (WHITE)  
8639-496 ATACH 14L TUNNEL PACK



## PROCROSS-6 SKIS

- 6-in. width for precise on-trail handling
- Includes pair of skis, handles, mounting hardware, and 4-in. carbide wearbars

**6639-206 BLACK** | Universal '12-'25



## PROCLIMB-7 G2 SKIS

- 7-in. width and deep keel for off-trail carving control
- Includes pair of skis, handles, mounting hardware, and 4-in. carbide wearbars

**8639-064 BLACK** | Universal '12-'25



## PROUTE-10/8 SKIS

- 8-in. width and 10-in. tip for ultimate flotation
- Includes pair of skis, handles, mounting hardware, and 4-in. carbide wearbars

**7639-032 BLACK** | Universal '12-'25



## SKI HANDLES

- Personalize your Arctic Cat skis with colored handles
- Sold in pairs

**7639-820 MEDIUM GREEN** | '05-'25 Saddleless Skis

**8639-243 HYPER GREEN** | (Same application as 7639-820)

**6639-388 TEAM ARCTIC GREEN** | (Same application as 7639-820)

**5639-744 ORANGE** | (Same application as 7639-820)

**6639-095 WHITE** | (Same application as 7639-820)

**8639-047 PURPLE** | (Same application as 7639-820)

**3639-781 GREEN** | '95-'08 Aluminum Saddle Skis

**3639-865 ORANGE** | (Same application as 3639-781)



## 36-IN. FRONT SUSPENSION KIT

- Make off-trail handling effortless with the ultra-nimble 36-in. Arctic Mountain Suspension™ (AMS) ski stance
- Includes black upper and lower A-arms, tie-rods, hardware, and instructions
- 8639-471 also includes twin tube coil-over shocks

**8639-471** | '25 M400; '21-'24 Blast M, '21 Blast M LTD

**8639-477 (NO SHOCKS)**

| '16-'24 ProClimb, Ascender Models With 36-in. Ski Stance (Replacement)





## REAR SUSPENSION SPRINGS

- Heavy-duty torsion springs provide a firmer ride and help prevent the rear suspension from bottoming out under high load
- Light-duty torsion springs provide a smoother, softer ride quality for less-aggressive riders
- Requires LH and RH spring

**8639-544 HEAVY-DUTY (PAIR) |** '24-'25 ZR 600/858 129-in.

**8639-545 HEAVY-DUTY (PAIR) |** '24-'25 ZR 600/858 137-in.

**8639-546 HEAVY-DUTY (PAIR) |** '24-'25 Riot 600/858

**8639-417 HEAVY-DUTY (PAIR) |** '25 ZR 400; '21-'24 Blast ZR

**1704-504/505 HEAVY-DUTY |** '25 Riot, Norseman 400; '22-'24 Blast XR; '21-'24 Blast LT

**1704-710/711 HEAVY-DUTY |** '16-'25 ZR, XF 137-in.; '20-'25 RIOT;  
'15-'20 Lynx 2000 (Except '24-'25 600/858)

**2704-560/561 HEAVY-DUTY |** '17-'19 ZR, XF 6/8/9000 RR/SNO PRO

**1704-842/843 HEAVY-DUTY |** '15-'20 Bearcat 2000 XT

**3704-726/727 LIGHT-DUTY |** '16-'25 ZR, XF 137-in.; '20-'25 Riot (Except '24-'25 600/858)

**1704-576/577 LIGHT-DUTY |** '15-'20 Lynx 2000

**1704-562/563 LIGHT-DUTY |** '15-'20 Bearcat 2000 XT



## SINGLE RUNNER

- Ideal on ice and hardpack, but works well anywhere
- May provide a noted speed increase compared to a dual wearbar
- Hardweld wearbars have a 7/16-in. host bar
- Carbide wearbars have a 1/2-in. host bar
- Sold in pairs

**3639-309 HARDWELD WEARBAR (PAIR) |** '05-'25 Saddleless Skis

**3639-310 4-IN. CARBIDE (PAIR) |** (Same application as 3639-309)

**3639-311 6-IN. CARBIDE (PAIR) |** (Same application as 3639-309)

**3639-312 8-IN. CARBIDE (PAIR) |** (Same application as 3639-309)



## ACE™ WEARBARS

- Utilizes a preformed, square steel bar with a tall, aggressive profile
- Provides excellent control
- Sold in pairs

**6639-850 6-IN. CARBIDE (PAIR) |** '05-'25 Saddleless Skis

**6639-799 8-IN. CARBIDE (PAIR) |** (Same application as 6639-850)



## SHAPER™ WEARBARS

- Offers more precise turning than conventional wearbars
- 20% lighter than round wearbars
- Sold in pairs

**4639-949 4.5-IN. CARBIDE (PAIR) |** '05-'25 Saddleless Skis

**4639-950 6-IN. CARBIDE (PAIR) |** (Same application as 4639-949)

**4639-951 9-IN. CARBIDE (PAIR) |** (Same application as 4639-949)



## MAVERICK™ WEARBARS

- Aggressive host bar featuring tall, concave side profile
- Precise bite and cornering control
- Sold in pairs

**8639-547 4-IN. CARBIDE (PAIR) |** '05-'25 Saddleless Skis


**8639-548 6-IN. CARBIDE (PAIR) |** (Same application as 8639-547)

**8639-549 8-IN. CARBIDE (PAIR) |** (Same application as 8639-547)

# OPTIMIZE CONTROL

## MAXIMIZE STEERING CONTROL

The length of the turning carbide (carbide inserted directly under the steering spindle) is the determining factor on steering control. The longer the turning carbide, the more positive turning becomes. Too few studs with long turning carbides can result in the situation shown in Illustration 1 below.



## MAXIMIZE TRACTION CONTROL

The quantity and types of studs inserted through the track can have several effects. If installed improperly, track and/or stud damage can result. If the pushing force from an excessive number of studs exceeds the ability of the steering to control the force, the effect could be like that in Illustration 2. In this case, the studs tend to "push" the skis in a straight line.

- ❌ Back end loose. Too much carbide, not enough steering control.
- ❌ Front end pushes. Weak steering from worn wearbars, turning carbides too short or overstudding on track.
- ✅ Steering control and stud quantity are in balance for proper setup.

**WHAT'S YOUR RIDING STYLE? ARE YOU...** Determining the proper traction and control is simple. What's your riding style: Are you a conservative trail rider or a performance trail rider? Look at the chart below. Find the line with the horsepower of your sled. Look under your riding category. Here you will find the number of studs and the length of the carbide wearbar you should use. This is a baseline guide for stud and wearbar selection. See your dealer for specific model applications.

### STUD QUANTITY / INCHES OF TURNING CARBIDE

| SLED       | TRAIL     | PERFORMANCE |
|------------|-----------|-------------|
| 50-75 HP   | 48/4-in.  | 48/6-in.    |
| 75-125 HP  | 102/6-in. | 153/8-in.   |
| 125-150 HP | 153/8-in. | 153/10-in.  |
| 150-200 HP | 153/8-in. | 153/10-in.  |

FOR STUD PLACEMENT, USE AN ARCTIC CAT-APPROVED STUD TEMPLATE SHOWN ON PAGE 70.

Arctic Cat traction products are available in package quantities that will give you the best combinations for 129-in. and 137-in. tracks.

### RECOMMENDED STUD LENGTH (IN.)

| TRACK LUG HEIGHT | WOODY'S® STUD LENGTH |
|------------------|----------------------|
| 1.000            | 1.075                |
| 1.250            | 1.325                |
| 1.352            | 1.325                |
| 1.500            | 1.575                |
| 1.600            | 1.575                |

Cobra 1.35/1.60-in. tracks have a standard lug height of 1.25/1.50-in. The overall lug height includes the extended "towers" at 1.35-in. because the towers will flex. These Cobra tracks do not use studs longer than their nominal lug height.



## CAUTION

- To protect the tunnel from possible damage from the studs, it is recommended that Tunnel Protector Kit be installed on those models not so equipped
- A Short Snowflap is required when installing studs on '07-'09 F Series; '09 Z1, Z1 Turbo; '09-'11 Crossfire™ and CFR
- See your dealer for additional information

## STUD PLACEMENT

- DO NOT use studs that are longer than recommended
- DO NOT place studs in line with the heat exchanger or tunnel protector strip, and factor in the amount of suspension travel to avoid tunnel damage
- Studs MUST NOT extend more than 3/8-in. beyond the rubber track lugs
- Verify adequate clearance between the track, tunnel and heat exchanger to avoid serious damage
- Confirm that your machine has adequate tunnel protection before installing studs
- Use an Arctic Cat-approved Stud Template shown on page 70
- The length of carbide and number of studs must coordinate to result in balanced handling and proper control



## SLP WEARBARS (PAIR)

- Provides confident steering control on the mountain and on the trail
- Sold in pairs

**3639-420 4-IN. CARBIDE (PAIR)** | FITS SLP SKIS

**3639-421 6-IN. CARBIDE (PAIR)** | FITS SLP SKIS



## STAGGERED WEARBARS

- Features a single carbide runner and an offset hardweld runner
- Lighter steering than a dual carbide runner
- Reduces darting and plugging
- Available with a standard (0.312) or aggressive (0.500) bar
- Fits '05-'23 Arctic Cat Saddleless Skis
- Sold individually

**2703-598/599 4-IN. CARBIDE 3-BOLT .312** | '05-'25 Saddleless Skis

**2603-988/ 989 4-IN. CARBIDE 3-BOLT .500** | (Same application as 2703-598/599)

**2603-930/ 931 4-IN. CARBIDE 4-BOLT .500** | (Same application as 2703-598/599)



## DOOLY™ TWIN CARBIDE WEARBARS

- Great, all-trail performance
- Reduces darting
- Features two carbide runners
- Sold individually

**3639-343 4-IN.** | '05-'25 Saddleless Skis

**3639-344 6-IN.** | (Same application as 3639-343)

**3639-345 8-IN.** | (Same application as 3639-343)



## DEUCE™ TWIN CARBIDE WEARBARS

- Reduces darting and eliminates dual-runner-type drag
- Durable one-piece design
- Features two carbide runners
- Sold individually

**5639-251 4.5-IN.** | '05-'24 Saddleless Skis

**5639-252 6-IN.** | (Same application as 5639-251)

**5639-253 9-IN.** | (Same application as 5639-251)

## SINGLE-PLY TRACKS

'25 ZR 400; '21-24 BLAST ZR; '20 RIOT X; '18-'19 NORSEMAN 3/6000; '16-'19 BEARCAT, PANTERA 7000 XT; '15-'20 BEARCAT 2000; '15 BEARCAT 5000; '14-'15 XF CROSS COUNTRY, CROSSTOUR; '12-'13 XF; '10-'14 BEARCAT 570, Z1 XT

## 2-PLY TRACKS

'14-'25 ZR; '20-'25 RIOT; '16-'19 XF; '12-'13 F; '15-'25 PANTERA, '16-'17 BEARCAT 3000, '15-'20 LYNX 2000, '11-'14 SNO PRO; '09-'14 T570, TZ1



## GOLD DIGGER TRACTION MASTER (2-PLY)

- 60° carbide, 5/16-in. thread, 1-in. head
- The industry-leading and best-selling trail stud
- Outstanding penetration and durability on ice and hardpack from a 60° carbide tip
- Support plates sold separately





## DIGGER® (2-PLY) SUPPORT PLATES

- Lightweight aluminum offers serious support
- Added strength from crowned profile
- 1.250-in. square; 1.375-in. round



## DOUBLE DIGGER (2-PLY) SUPPORT PLATES

- Unmatched support from durable aluminum

2639-135 | 48/PK

## GOLD DIGGER TRACTION MASTER® (2-PLY) TRACTION KITS

Includes studs, support plates, big nuts, template, stud drill and track marker

**8639-235 96/PK (ROUND & DOUBLE PLATES)** | '19-'20 Thundercat; '20 ZR Sno Pro 137 X 1.00-in. 2.86 P (1075 Series)

**8639-100 144/PK (ROUND & DOUBLE PLATES)** | (Same application as 8639-235)

**8639-224 102/PK 102/PK (ROUND PLATES)** | '20-'25 Riot 146 X 1.35-in. 2.86 P (1325 Series)

**8639-234 102/PK 102/PK (ROUND PLATES)** | '20-'25 Riot; '25 Riot, Norseman 400; '21-'24 Blast LT, XR 146 X 1.60-in. 2.86 P (1575 Series)



## SIGNATURE SERIES STAINLESS STEEL (2-PLY)

- 60° carbide, 5/16-in. thread, 15/16-in. head
- Woody's proven push-through stainless steel stud at a competitive price
- Support Plates sold separately

## SIGNATURE SERIES™ (2-PLY) TRACTION KITS

- Includes studs, support plates, big nuts, template, stud drill and track marker

**6639-454 96/PK (SQUARE PLATES)** | '16-'25 ZR; '17-'18, '21-'25 Thundercat; '14-'15 XF LXR, Sno Pro; 137 X 1.25-in. 2.86 P (1325 Series)

**6639-455 144/PK (SQUARE PLATES)** | (Same application as 6639-454)

**6639-856 96/PK (ROUND PLATES)** | (Same application as 6639-454)

**6639-857 144/PK (ROUND PLATES)** | (Same application as 6639-454)

**7639-564 102/PK (ROUND PLATES)** | '16-'25 Pantera 7000; '18-'19 Pantera 6000; '16-'18 XF CrossTour 7000 146 X 1.25-in. 2.86 P (1325 Series)

**8639-293 135/PK (SQUARE & DOUBLE PLATES)** | '14-'25 ZR; '13 F 129 X 1.25-in. 2.86 P (1325 Series)

## GRAND MASTER® (SINGLE-PLY) TRACTION KITS

- Studs feature a larger head design required for use on models with a single-ply track
- Includes studs, support plates, big nuts, template, stud drill and track marker
- 60° carbide, 5/16-in. thread, 1.20-in. head, 1.50-in. support plates

**8639-421 96/PK** | '25 ZR 400; '21-'24 Blast ZR; 121 X 1.00-in. 2.52 P (1075 Series)

**7639-741 108/PK** | '18-'19 Bearcat 7000 XT 20 X 154 X 1.60-in. 2.86 P (1575 Series)

**5639-626 108/PK** | '11-'17 Bearcat XT 20 X 154 X 1.375-in. 2.86 P (1450 Series)



## TUNNEL PROTECTOR KIT


- Required when installing studs on models listed below  
**NOTE:** Compatible 4000 and 7000 series models do not require tunnel protector kit

**8639-453** | '24-'25 ZR, Riot 600/858 129-146-in.

**7639-138** | '18-'24 ZR, Riot 8000; '18-'23 ZR, Riot 6000; '17-'25 ZR, Riot 9000; '18-'19 Pantera, XF Cross Country, CrossTrek 6/8000; '17-'19 XF 9000; 129-146-in.

**6639-075** | '14-'17 ZR 6/8000; '15-'17 ZR 4000; '14-'16 ZR 5/9000; '13 F 129-in.

**6639-118** | '16-'17 ZR 6/8000; '17 ZR 5000; '16 ZR 9000; '13-'15 XF 6/8/9000 137-141-in.



**8639-227** | '14-'25 ZR, '13 F 129-in.; '16-'25 ZR, '14-'15 XF, '16-'18 XF CrossTrek 137-in.; '20-'25 Riot, '15-'25 Pantera, XF CrossTour 146-in. 2.86 P (2-Ply)



## TRACK MARKER

- Ensures track pattern aligns perfectly with stud template

**8639-452**



## STUD DRILL

- Cuts cleanly for precise stud locations


**1639-629** | 5/16-in.

# MAINTENANCE

A close-up photograph of the front of a blue and black Arctic Cat snowmobile. The snowmobile is covered in snow, and the background shows a snowy landscape under a sunset sky. The word "ARCTIC CAT" is visible on the side, and "CATALYST" is on the front. A green diagonal graphic element is on the left side of the image.

FEATURED ON SLED:  
8639-511 FLEX-TEC LITE HAND GUARDS (SKYE BLUE)





## WEAR STRIPS

- Sold individually
- Add a dash of color to your slide rails

**4604-402 MEDIUM GREEN** | 121-129-in. Models

**4604-404 MEDIUM GREEN** | 137-in. Models

**4604-406 MEDIUM GREEN** | 141-153-in. Twin Rail Models

**4604-408 MEDIUM GREEN** | 162-in. Twin Rail Models

**4604-405 ORANGE** | 121-137-in. Models

**4604-407 ORANGE** | 141-153-in. Twin Rail Models

**4604-409 ORANGE** | 162-in. Twin Rail Models



## BELT TOOL

- Used to expand the driven clutch to aid in changing the drive belt and adjusting deflection (Certain models)

**0644-659** | '16-'25 5/6/7/8/9000; 600/858 MODELS

**0644-662** | '21-'25 400/4000; '15-'23 R SX; '15-'21 R XC; '04-'14 SNO PRO MODELS



## DRIVE CLUTCH PULLER

- Used to remove the drive clutch for service or calibration adjustment
- Built from hardened steel for superior durability
- Color coating for easy identification

**0744-080 METRIC (BLUE)** | UNIVERSAL '10-'25; (EXCEPT '22-'25 9000 MODELS) '07-'09 1000 MODELS

**0644-650 METRIC (GOLD)** | '22-'25 9000 MODELS

**0644-207 SAE (BLACK)** | UNIVERSAL '97-'09 (EXCEPT '07-'09 1000 MODELS)



## FOX FLOAT DIGITAL PUMP

- Easily adjust FOX Float air pressure in the shop or on the trail
- Convenient digital display reads 0-300 psi
- Replaceable battery

**7639-121** | FOX FLOAT SHOCKS



## FOX FLOAT DUAL GAUGE PUMP

- Easily adjust FOX Float air pressure in the shop or on the trail
- Primary gauge reads 0-300 PSI, secondary gauge reads 0-150 PSI
- No battery required

**0641-257** | FOX FLOAT SHOCKS



## TRACK TENSION TOOL

- Maintain your track tension for optimum performance

**7639-153** | UNIVERSAL



## EXHAUST SPRING TOOL

- Easily remove the springs securing the expansion chamber and resonator
- Provides wide-open access to service the engine and other underhood components

**0644-554 STANDARD 6-IN.** | Universal

**6639-904 HEAVY-DUTY 16-IN.** | Universal



## EXHAUST VALVE CABLE GAUGE

- Used to check Arctic Power Valve (APV) cable adjustment
- Ensure optimal exhaust valve operation for smooth, responsive engine performance

**8639-126** | '10-'24 800/8000; '14-'25 600/6000 MODELS



## ENGINE REBUILD KITS

- Give your Cat another life with everything needed to refresh your engine
- Piston + ring assemblies
- Wrist pins + bearings + shims
- Top end gasket set
- Spark plugs

**8639-238** | '10-'17 800/8000 MODELS

**8639-239** | '14-'19 6000 MODELS

**8639-240** | '18-'19 8000 MODELS



## DRIVELINE REBUILD KIT

- Keep your ProCross, ProClimb, or Ascender sled rolling smoothly and efficiently with a complete drive bearing kit
- LH + RH jackshaft bearings
- LH + RH driveshaft bearings
- Hardware and instructions

**8639-489** | '15-'24 8000; '15-'23 6000; '15-'16 4/5/9000 MODELS

**8639-491** | '17-'25 7/9000 MODELS (EXCEPT XT)

**8639-490** | '25 400; '21-'24 4000; '15-'16 7000; '16-'19 3000 MODELS

**8639-488** | '14 5/6/8/9000; '12-'13 800/1100 MODELS

# BELTS

- > Custom fit to match each Arctic Cat sled and specific use
- > Better contact with clutch surface and faster acceleration from double cogs
- > Increased belt life by running cooler than aftermarket belts
- > Premium reinforced with Aramax® aramid fibers for strength and durability
- > Increased power transmission with less slip
- > Kevlar® drive belts available for high performance models, which dramatically extend belt life and sustain belt length better than traditional cords

**NOTE:** Proper break-in period required.

## PREMIUM ARCTIC CAT “EXTENDED-LIFE” ORIGINAL EQUIPMENT REPLACEMENT BELTS

Don't settle for anything less than a drive belt built specifically for your sled. Proven through extensive lab and field testing, original equipment Arctic Cat replacement belts are precision-engineered for each Arctic Cat snowmobile.

## CUSTOM-ENGINEERED FIT

While non-OEM aftermarket belts offer “one construction fits all,” Arctic Cat Research & Development custom engineers each genuine Arctic Cat belt to match the specific performance

characteristics of your sled. This produces the best combination of strength, durability and responsiveness for lower-horsepower, fan-cooled sleds all the way up to high-horsepower muscle sleds. Each one is built using only state-of-the-art materials, incorporating precision manufacturing techniques to meet exacting tolerances.

## TOP & BOTTOM COGS

Arctic Cat original equipment belts are double cogged, so more of the belt contacts the clutch surfaces. This results in faster acceleration, maximum efficiency and superb overall performance. Double-cog design provides structure while adding surface area for greater cooling and longer life. In fact, our belt runs cooler than flat-top aftermarket belts.

## ARAMAX HIGH-MODULUS ARAMID-FIBER TENSILE MEMBER

The Aramax inner cord provides incredible strength and durability for high-horsepower, high-performance sleds. In addition, each belt is chemically treated for maximum power transmission and length stability.

## HIGH-PERFORMANCE PREMIUM COMPOUNDS

Arctic Cat's OEM belts incorporate advanced “premium” compound materials that ensure optimum belt performance under all riding conditions. The advanced aramid-fiber-loaded rubber compound resists wear and delivers consistent power while minimizing slippage over a broad range of operating temperatures. The thicker, highly flexible design increases grip to clutch surfaces for increased power transmission.

## ARCTIC CAT KEVLAR DRIVE BELTS

Arctic Cat's OEM belts incorporate advanced “premium” compound materials that ensure optimum belt performance under all riding conditions. The advanced aramid-fiber-loaded rubber compound resists wear and delivers consistent power while minimizing slippage over a broad range of operating temperatures. The thicker, highly flexible design increases grip to clutch surfaces for increased power transmission.





## 2007

|                      |          |
|----------------------|----------|
| BEARCAT 570          | 0627-013 |
| BEARCAT W/T          | 0627-033 |
| BEARCAT W/T TURBO    | 0627-049 |
| CROSSFIRE 5/6/8/1000 | 0627-046 |
| F5/6/8/570           | 0627-046 |
| F1000                | 0627-060 |
| JAGUAR Z1            | 0627-047 |
| M6/8/1000            | 0627-046 |
| PANTHER 370/570      | 0627-021 |
| PANTHER 660          | 0627-013 |
| T660 TOURING         | 0627-013 |
| T660 TURBO           | 0627-048 |
| Z                    | 0627-021 |

## 2008

|                   |          |
|-------------------|----------|
| BEARCAT 570       | 0627-013 |
| BEARCAT W/T       | 0627-033 |
| BEARCAT W/T TURBO | 0627-049 |
| CROSSFIRE 5/6/8   | 0627-046 |
| CROSSFIRE 1000    | 0627-060 |
| F5/6/8/570        | 0627-046 |
| F1000             | 0627-060 |
| JAGUAR Z1         | 0627-047 |
| M6/8              | 0627-046 |
| M1000             | 0627-060 |
| PANTHER 370       | 0627-021 |
| PANTHER 660       | 0627-013 |
| 600 SNO PRO       | 0627-073 |
| T500/T570         | 0627-046 |
| TZ1               | 0627-047 |

## 2009

|                   |          |
|-------------------|----------|
| BEARCAT 570       | 0627-067 |
| BEARCAT 570 XT    | 0627-046 |
| BEARCAT Z1 XT     | 0627-047 |
| CROSSFIRE 500     | 0627-067 |
| CROSSFIRE, R 6/8  | 0627-046 |
| CROSSFIRE, R 1000 | 0627-060 |
| F5/570            | 0627-067 |
| F6/8              | 0627-046 |
| F1000 SNO PRO     | 0627-060 |
| M6/8              | 0627-046 |
| M1000             | 0627-060 |
| 600 SNO PRO SX    | 0627-070 |
| 600 SNO PRO XC    | 0627-073 |
| T500/570          | 0627-067 |
| TZ1               | 0627-047 |
| TZ1 TURBO         | 0627-066 |
| Z1                | 0627-047 |
| Z1 TURBO          | 0627-066 |

## 2010

|                       |          |
|-----------------------|----------|
| BEARCAT 570           | 0627-067 |
| BEARCAT 570 XT        | 0627-046 |
| BEARCAT Z1 XT         | 0627-047 |
| CROSSFIRE 6           | 0627-046 |
| CROSSFIRE, CFR 8/1000 | 0627-060 |
| F5/570                | 0627-067 |
| F6/8                  | 0627-046 |
| M6/8                  | 0627-046 |
| M1000                 | 0627-060 |
| SNO PRO 500           | 0627-047 |
| SNO PRO 600 SX        | 0627-075 |
| SNO PRO 600 XC        | 0627-076 |
| T570                  | 0627-067 |
| TZ1                   | 0627-069 |
| TZ1 TURBO             | 0627-073 |
| Z1                    | 0627-069 |
| Z1 TURBO              | 0627-073 |

## 2011

|                       |          |
|-----------------------|----------|
| BEARCAT 570           | 0627-067 |
| BEARCAT 570 XT        | 0627-046 |
| BEARCAT Z1 XT         | 0627-047 |
| CROSSFIRE 6           | 0627-046 |
| CROSSFIRE, CFR 8/1000 | 0627-060 |
| F5/570                | 0627-067 |
| F6/8                  | 0627-046 |
| M6/8                  | 0627-046 |
| M1000                 | 0627-060 |
| SNO PRO 500           | 0627-047 |
| SNO PRO 600 SX        | 0627-075 |
| SNO PRO 600 XC        | 0627-076 |
| T570                  | 0627-067 |
| TZ1                   | 0627-069 |
| TZ1 TURBO             | 0627-073 |
| Z1                    | 0627-069 |
| Z1 TURBO              | 0627-073 |

## 2012

|                |          |
|----------------|----------|
| BEARCAT 570    | 0627-067 |
| BEARCAT 570 XT | 0627-046 |
| BEARCAT Z1 XT  | 0627-047 |
| F5/570         | 0627-067 |
| F 800          | 0627-083 |
| F 1100         | 0627-081 |
| F 1100 TURBO   | 0627-082 |
| M 800          | 0627-084 |
| M 1100         | 0627-081 |
| M 1100 TURBO   | 0627-082 |
| SNO PRO 500    | 0627-047 |
| SNO PRO 600    | 0627-085 |

## 2012 (CONTINUED)

|                     |          |
|---------------------|----------|
| T570                | 0627-067 |
| TZ1                 | 0627-069 |
| TZ1 TURBO           | 0627-082 |
| XF 800              | 0627-083 |
| XF 800 HIGH COUNTRY | 0627-084 |
| XF 1100             | 0627-081 |
| XF 1100 TURBO       | 0627-073 |

## 2013

|                     |          |
|---------------------|----------|
| BEARCAT 570         | 0627-067 |
| BEARCAT 570 XT      | 0627-046 |
| BEARCAT Z1 XT       | 0627-047 |
| F5/570              | 0627-067 |
| F 800               | 0627-083 |
| F 1100              | 0627-081 |
| F 1100 TURBO        | 0627-082 |
| M 800               | 0627-084 |
| M 1100              | 0627-081 |
| M 1100 TURBO        | 0627-082 |
| SNO PRO 500         | 0627-047 |
| SNO PRO 600         | 0627-086 |
| T570                | 0627-067 |
| TZ1                 | 0627-069 |
| TZ1 TURBO           | 0627-073 |
| XF 800              | 0627-083 |
| XF 800 HIGH COUNTRY | 0627-084 |
| XF 1100             | 0627-081 |
| XF 1100 TURBO       | 0627-082 |

## 2014

|                      |          |
|----------------------|----------|
| BEARCAT 570          | 0627-067 |
| BEARCAT 570 XT       | 0627-046 |
| BEARCAT Z1 XT        | 0627-047 |
| BEARCAT GS           | 0627-073 |
| F5/570               | 0627-067 |
| M 6000               | 0627-083 |
| M 8000               | 0627-084 |
| M 9000               | 0627-082 |
| SNO PRO 500          | 0627-047 |
| T570                 | 0627-067 |
| TZ1                  | 0627-069 |
| XF 7000              | 0627-070 |
| XF 8000              | 0627-083 |
| XF 8000 HIGH COUNTRY | 0627-084 |
| XF 9000              | 0627-082 |
| ZR 5000              | 0627-081 |
| ZR 6000              | 0627-083 |
| ZR 6000R             | 0627-086 |
| ZR 7000              | 0627-070 |
| ZR 8000              | 0627-083 |
| ZR 9000              | 0627-082 |

| 2015                 |          |
|----------------------|----------|
| BEARCAT 2000         | 0627-067 |
| BEARCAT 2000 XT      | 0627-046 |
| BEARCAT 5000 XT      | 0627-047 |
| BEARCAT GS           | 0627-073 |
| LYNX 2000            | 0627-067 |
| M 6000               | 0627-083 |
| M 8000               | 0627-084 |
| M 9000               | 0627-082 |
| PANTERA 7000         | 0627-069 |
| XF 7000              | 0627-070 |
| XF 8000              | 0627-083 |
| XF 8000 HIGH COUNTRY | 0627-084 |
| XF 9000              | 0627-082 |
| ZR 4000              | 0627-083 |
| ZR 5000              | 0627-081 |
| ZR 6000              | 0627-083 |
| ZR 6000 R-SX         | 0627-086 |
| ZR 7000              | 0627-070 |
| ZR 8000              | 0627-083 |
| ZR 9000              | 0627-082 |
| 2016                 |          |
| BEARCAT 2000 LT      | 0627-067 |
| BEARCAT 2000 XT      | 0627-046 |
| BEARCAT 3000 LT      | 0627-081 |
| BEARCAT 7000 XT      | 0627-102 |
| LYNX 2000            | 0627-067 |
| M 6000               | 0627-083 |
| M 7000               | 0627-070 |
| M 8000               | 0627-084 |
| M 9000               | 0627-082 |
| PANTERA 3000         | 0627-081 |
| PANTERA 7000         | 0627-070 |
| PANTERA 7000 XT      | 0627-102 |
| XF 6000              | 0627-070 |
| XF 7000              | 0627-070 |
| XF 8000              | 0627-083 |
| XF 8000 HIGH COUNTRY | 0627-084 |
| XF 9000              | 0627-082 |
| ZR 4000              | 0627-083 |
| ZR 5000              | 0627-081 |
| ZR 6000              | 0627-083 |
| ZR 6000 R-SX         | 0627-086 |
| ZR 7000              | 0627-070 |
| ZR 8000              | 0627-083 |
| ZR 9000              | 0627-082 |

| 2017            |          |
|-----------------|----------|
| BEARCAT 2000 LT | 0627-067 |
| BEARCAT 2000 XT | 0627-046 |
| BEARCAT 3000 LT | 0627-081 |
| BEARCAT 7000 XT | 0627-102 |
| LYNX 2000       | 0627-067 |
| M 6000          | 0627-083 |
| M 8000          | 0627-084 |
| PANTERA 3000    | 0627-081 |
| PANTERA 7000    | 0627-070 |
| PANTERA 7000 XT | 0627-102 |
| XF 6000         | 0627-083 |
| XF 7000         | 0627-070 |
| XF 8000         | 0627-084 |
| XF 9000         | 0627-112 |
| ZR 3000         | 0627-081 |
| ZR 4000         | 0627-083 |
| ZR 5000         | 0627-081 |
| ZR 6000         | 0627-083 |
| ZR 6000 R-SX    | 0627-086 |
| ZR 7000         | 0627-070 |
| ZR 8000         | 0627-084 |
| ZR 9000         | 0627-112 |
| 2018            |          |
| BEARCAT 2000 LT | 0627-067 |
| BEARCAT 7000 XT | 0627-102 |
| BEARCAT XT      | 0627-114 |
| LYNX 2000       | 0627-067 |
| M 6000          | 0627-107 |
| M 8000          | 0627-111 |
| M 9000          | 0627-112 |
| NORSEMAN 3000   | 0627-081 |
| NORSEMAN 6000   | 0627-107 |
| PANTERA 3000    | 0627-081 |
| PANTERA 6000    | 0627-107 |
| PANTERA 7000    | 0627-110 |
| PANTERA 7000 XT | 0627-102 |
| XF 6000         | 0627-107 |
| XF 7000         | 0627-110 |
| XF 8000         | 0627-111 |
| XF 9000         | 0627-112 |
| ZR 200          | 0627-106 |
| ZR 3000         | 0627-081 |
| ZR 6000         | 0627-107 |
| ZR 6000 R-SX    | 0627-086 |
| ZR 7000         | 0627-110 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |

| 2019            |          |
|-----------------|----------|
| BEARCAT 7000 XT | 0627-102 |
| LYNX 2000       | 0627-067 |
| M 6000          | 0627-107 |
| M 8000          | 0627-111 |
| M 9000          | 0627-112 |
| NORSEMAN 3000   | 0627-081 |
| NORSEMAN 6000   | 0627-107 |
| NORSEMAN 8000   | 0627-111 |
| PANTERA 3000    | 0627-081 |
| PANTERA 7000    | 0627-110 |
| PANTERA 7000 XT | 0627-102 |
| XF 6000         | 0627-107 |
| XF 8000         | 0627-111 |
| XF 9000         | 0627-112 |
| ZR 200          | 0627-106 |
| ZR 3000         | 0627-081 |
| ZR 6000         | 0627-107 |
| ZR 6000 R-SX    | 0627-120 |
| ZR 7000         | 0627-110 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |
| 2020            |          |
| LYNX 2000       | 0627-067 |
| M 6000          | 0627-107 |
| M 8000          | 0627-111 |
| RIOT 6000       | 0627-107 |
| RIOT/X 8000     | 0627-111 |
| ZR 200          | 0627-106 |
| ZR 6000         | 0627-107 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |
| 2021            |          |
| BLAST 4000      | 0823-683 |
| M 8000          | 0627-111 |
| NORSEMAN X 8000 | 0627-111 |
| RIOT 6000       | 0627-107 |
| RIOT/X 8000     | 0627-111 |
| ZR 200          | 0627-106 |
| ZR 6000         | 0627-107 |
| ZR 6000 R-SX    | 0627-120 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |

## 2022

|                 |          |
|-----------------|----------|
| BLAST 4000      | 0823-683 |
| M 8000          | 0627-111 |
| NORSEMAN X 8000 | 0627-111 |
| RIOT 6000       | 0627-107 |
| RIOT/X 8000     | 0627-111 |
| ZR 200          | 0627-106 |
| ZR 6000         | 0627-107 |
| ZR 6000 R-SX    | 0627-120 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |

## 2023

|                 |          |
|-----------------|----------|
| BLAST 4000      | 0823-683 |
| M 8000          | 0627-111 |
| NORSEMAN X 8000 | 0627-111 |
| RIOT/X 8000     | 0627-111 |
| RIOT 9000       | 0627-112 |
| ZR 200          | 0627-106 |
| ZR 6000         | 0627-107 |
| ZR 6000 R-SX    | 0627-120 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |

## 2024

|                 |          |
|-----------------|----------|
| BLAST 4000      | 0823-683 |
| M 600           | 0627-131 |
| M 8000          | 0627-111 |
| NORSEMAN X 8000 | 0627-111 |
| PANTERA 7000    | 0627-110 |
| RIOT 600        | 0627-131 |
| RIOT/X 8000     | 0627-111 |
| RIOT 9000       | 0627-112 |
| ZR 200          | 0627-106 |
| ZR 600          | 0627-131 |
| ZR 600 R-SX     | 0627-120 |
| ZR 7000         | 0627-110 |
| ZR 8000         | 0627-111 |
| ZR 9000         | 0627-112 |

## 2025

|              |          |
|--------------|----------|
| M 400        | 0823-683 |
| M 600        | 0627-131 |
| M 858        | 0627-127 |
| NORSEMAN 400 | 0823-683 |
| PANTERA 7000 | 0627-110 |
| RIOT 400     | 0823-683 |
| RIOT 600     | 0627-131 |
| RIOT 858     | 0627-127 |
| RIOT 9000    | 0627-112 |
| ZR 200       | 0627-106 |
| ZR 400       | 0823-683 |
| ZR 600       | 0627-131 |
| ZR 7000      | 0627-110 |
| ZR 858       | 0627-127 |
| ZR 9000      | 0627-112 |



## FINAL DRIVE BELT

- Dropcase drive belt delivers power efficiently to the track drive shaft
- Carbon fiber reinforced construction is highly resistant to heat and stretching

0627-128 | "24-'25 ZR, RIOT, M 600/858





## OIL APPLICATION

| MODEL           | YEAR     | <i>C-TEC2</i><br>SYNTHETIC OIL | <i>C-TEC4</i><br>SYNTHETIC OIL | <i>AEV</i><br>SYNTHETIC | FORMULA 50 |
|-----------------|----------|--------------------------------|--------------------------------|-------------------------|------------|
| 120             | 2000-'25 |                                | X                              |                         |            |
| 200             | 2018-'25 |                                | X                              |                         |            |
| 400 / 4000      | 2021-'25 | X                              |                                |                         |            |
| 600 / 6000      | 2014-'25 | X                              |                                |                         |            |
| 858             | 2025     | X                              |                                |                         |            |
| 7000            | 2014-'25 |                                | X                              |                         |            |
| 9000            | 2017-'25 |                                | X                              |                         |            |
| 370             | 1999-'07 | X                              |                                | X                       | X          |
| 3000            | 2016-'19 |                                | X                              |                         |            |
| 500 / 4000      | 2003-'17 | X                              |                                | X                       |            |
| 570 / 2000      | 2002-'20 | X                              |                                | X                       | X          |
| 600             | 2004-'13 | X                              |                                | X                       |            |
| 660             | 2002-'08 |                                | X                              |                         |            |
| 700             | 2003-'06 | X                              |                                | X                       |            |
| 800 / 8000      | 2007-'17 | X                              |                                | X                       |            |
| 8000            | 2018-'24 | X                              |                                |                         |            |
| 900             | 2003-'06 | X                              |                                | X                       |            |
| 1000            | 2007-'11 | X                              |                                | X                       |            |
| 1100 / 5000     | 2007-'16 |                                | X                              |                         |            |
| 1100T / 9000    | 2009-'16 |                                | X                              |                         |            |
| Non-Power Valve | All      | X                              |                                | X                       | X          |

## C-TEC2™ SYNTHETIC OIL

The C-TEC2 revolutionary clean-burning engine technology demands an entirely unique oil formulation. This lubrication system effectively delivers oil where it is required — as a result using significantly less oil compared with traditional 2-cycle engines. This technology requires a unique viscosity and blend of additives and base stocks. After several years of intense testing, numerous formulations, thousands of dyno hours and hundreds of thousands of field test miles, we landed on this unique oil technology.

- The **ONLY** oil recommended for the C-Tec2 engine, but approved for ALL Arctic Cat 2-cycle engines
- Reduction in recoil pull-effort during cold weather starting
- Convenient C-Tec2 oil packaging provides easier pourability and less waste
- Fully synthetic formulation provides ultimate engine protection
- Detergent additives maximize Arctic Power Valve™ and engine cleanliness
- Smokeless formulation burns extremely clean with a fresher scent

|          |             |
|----------|-------------|
| 8639-118 | 1 QUART     |
| 7639-840 | 1 GALLON    |
| 6639-521 | 2.5 GALLONS |

## 2-STROKE OIL



## APV™ SYNTHETIC OIL

- Outstanding performance for all non-C-Tec2 Arctic Cat 2-cycle engines
- Protects against engine wear with excellent lubricity
- Provides excellent Arctic Power Valve cleanliness
- Smokeless formulation burns clean
- Helps prevent piston scuffing, varnish formation and deposit buildup

|          |             |
|----------|-------------|
| 4639-349 | 1 QUART     |
| 5639-469 | 1 GALLON    |
| 4639-347 | 2.5 GALLONS |



## FORMULA 50 OIL

- Mineral based 50:1 injection oil is recommended for non-Arctic Power Valve 2-cycle engines
- Performs well over a wide range of operating temperatures
- Minimizes engine wear
- Prevents rust/deposit formation

|          |          |
|----------|----------|
| 5639-475 | 1 QUART  |
| 5639-476 | 1 GALLON |



## C-TEC4™ SYNTHETIC OIL & CHANGE KITS

- Provides superior performance in ALL operating conditions including in the extreme cold
- Synthetic base stocks offer high lubricity that protects engine from wear and scuffing
- Exclusive formulation includes additives that help prevent deposit formations, ring sticking and engine wear
- Oil change kits include one gallon of synthetic C-Tec4 oil, oil filter, O-ring washer and disposable funnel

|          |                                                           |
|----------|-----------------------------------------------------------|
| 6639-524 | 1 QUART (OIL ONLY)                                        |
| 6639-525 | 1 GALLON (OIL ONLY)                                       |
| 6639-529 | '17-'25 9000 MODELS (998CC); '14-'25 7000 MODELS (1049CC) |
| 6639-528 | '07-'16 1100/1100T, 5/9000 MODELS (1056CC)                |
| 7639-042 | '15-'19 3000 MODELS (700CC)                               |

## 4-STROKE OIL





## SYNTHETIC ACT GEARCASE FLUID

- Specially formulated for the ACT drive system
- Full synthetic lubricant that stays consistent across a broad temperature range so it flows well when cold and won't break down when hot
- Protects against wear and corrosion in ACT drive systems with reverse

5639-219 | 15-oz.

7639-080 | 27.1-oz.



## ACT™ DRIVE FLUSH FLUID

- Flush ACT gearcase to remove contaminants and wear particles before replacing ACT gearcase fluid

4639-333 | 6-oz.



## SYNTHETIC CHAIN LUBE

- Full synthetic formulation resists breakdown and helps protect against wear at extreme high or low temperatures
- Inhibits rust and corrosion during periods of non-use or extended storage
- Made with additive that protects internal components and conditions seals

6639-539 | 15-oz.

6639-117 | 2.5 GALLONS



## ARCTIC CAT EXTREME LOW TEMP GREASE

- Premium synthetic base makes Arctic Cat Low-Temp Grease perform in extreme winter conditions, -40°F to 300°F
- Keeps contaminants from entering and damaging suspension components
- Exceptional cold temp bearing and pivot point performance

7639-517 | 10-oz.



## SYNTHETIC SHOCK OIL

- Full synthetic medium weight shock oil protects against wear, fading, foaming, oxidation, rust and corrosion
- Proven superior performance under extreme conditions
- Best choice for servicing gas shocks that will see heavy-duty trail or racing use

4639-368 | QUART



## SEMI-SYNTHETIC SHOCK OIL

- Engineered with a high viscosity index (VI) formulation
- Provides superior, consistent performance in severe operating and racing conditions
- Protects against wear, foaming, oxidation and corrosion

5639-530 | QUART





## FUEL TREATMENT

- Dual- antioxidant formula protects fuel system
- Stabilizes fuel for up to 2 years
- Safe for all power sports applications
- Ethanol compatible
- Convenient measuring cup

2436-868 | 12-oz.



## ANTIFREEZE 60/40 EXTENDED LIFE

- Premixed and ready to pour
- Protects against freezing to -62°F and has boiling point of 270°F
- Bitterant additive reduces likelihood of animal ingestion
- Extended-life antifreeze 3 times longer service life

2436-871 | GALLON



## DOT 4 BRAKE FLUID

- Premium fluid designed with corrosion and oxidation inhibitors has over 10% higher wet boiling point than DOT 4 minimum requirements
- Provides firm brake-feel in all conditions, even if moisture is introduced into the brake system

5639-848 | 12-oz.



## SPARK PLUG CADDY

0636-054 MEDIUM GREEN | UNIVERSAL



## CAT CADDY

- Store your machine conveniently and move around the garage effortlessly on rollers
- Superior mobility from 2.5" swivel casters
- Includes two ski dollies and a track dolly

5639-873 PLASTIC - BLACK

5639-874 PLASTIC - GREEN

4639-766 ALUMINUM - BLACK

# TOUCH-UP PAINT

- Repair scratches and keep your Cat looking like new with genuine, factory color touch-up paint
- Available in 1/2-oz. (15-ML.) bottle or 12-oz. (354-ML.) aerosol
- See your dealer for specific vehicle application and complete details

| COLOR             | APPLICATION             |  | 0.5-OZ.  | 12-OZ.   |
|-------------------|-------------------------|--|----------|----------|
| BALLISTIC BRONZE  | '20 Models              |  | 0652-240 | 0652-241 |
| BLACK             | Universal (Plastic)     |  | 0652-100 | N/A      |
| BLACK             | '00-'17 Models          |  | 0652-110 | 0652-024 |
| BLACK (SEMIGLOSS) | '18-'25 Models          |  | 0652-228 | 0652-229 |
| BLACK MAGIC       | '23-'25 Models          |  | 0652-276 | 0652-277 |
| CAT GREEN         | '98-'11 Models          |  | N/A      | 0652-077 |
| DYNAMIC CHARCOAL  | '20-'22 Models          |  | 0652-242 | 0652-243 |
| DYNAMIC GRAY      | '17-'19, '21 Models     |  | 0652-222 | 0652-223 |
| ELECTRIC BLUE     | '20 Models              |  | 0652-248 | 0652-249 |
| FIRE RED          | '17-'24 Models          |  | 0652-218 | 0652-219 |
| GALAXY BLUE       | '24-'25 Models          |  | 0652-278 | 0652-279 |
| HYPER GREEN       | '20-'22 Models          |  | 0652-244 | 0652-245 |
| MEDIUM GREEN      | '17-'25 Models          |  | 0652-220 | 0652-221 |
| ORANGE            | '08-'19, '21-'25 Models |  | 0652-141 | 0652-142 |
| PEARL CAT GREEN   | '08-'13 Models          |  | 0652-144 | 0652-145 |
| PHANTOM GRAY      | '23 Models              |  | 0652-260 | 0652-261 |
| PLATINUM          | '02-'11 Models          |  | N/A      | 0652-096 |
| PURPLE            | '19 Models              |  | 0652-238 | 0652-239 |
| QUICKSILVER       | '20 Models              |  | 0652-250 | 0652-251 |
| SKYE BLUE         | '21-'25 Models          |  | 0652-246 | 0652-247 |
| SPARK ORANGE      | '23 Models              |  | 0652-256 | 0652-257 |
| STAR WHITE        | '24 Models              |  | 0652-280 | 0652-281 |
| SUNSET ORANGE     | '14, '24-'25 Models     |  | 0652-148 | 0652-149 |
| TEAM ARCTIC GREEN | '14-'18 Models          |  | 0652-199 | 0652-200 |
| TRUE PLATINUM     | '23 Models              |  | 0652-266 | 0652-267 |
| WHITE             | '14-'25 Models          |  | 0652-189 | 0652-190 |





# FIND THE RIGHT RIDE

CALL OR VISIT YOUR LOCAL  
ARCTIC CAT DEALER FOR MORE  
INFORMATION. FOR A DEALER  
NEAR YOU, VISIT [ARCTICCAT.COM](http://ARCTICCAT.COM).



[arcticcat.com](http://arcticcat.com)



Snowmobiling is serious fun. Be sure to read and understand your owner's manual and please pay special attention to the safety instructions. Arctic Cat Inc. endorses and encourages the safe use of all snowmobiles. Be careful; you can get hurt. Wear an approved helmet and don't drink and ride. Be aware of natural hazards you may encounter, allow yourself plenty of room to safely stop your snowmobile under all conditions, and maintain your equipment. Your safety is in your hands, so take care. All scenes depicted or described in this brochure were performed by professional riders under carefully controlled conditions. Leave the fancy riding to the pros; they practice for years and train very hard to make it look easy. Never attempt to duplicate these maneuvers or encourage others to do so. We care about your safety and enjoyment of the sport. All materials and specifications are subject to change without notice. All specifications, competitive specifications, claims and information contained within are based on current knowledge and readily available printed material available as of January 1, 2023. All rights reserved. Cobra™ and Ripsaw™ are trademarks of Camso Inc. FOX®, FOX FLOAT® and FOX® ZERO are registered trademarks of FOX Racing Shox. Garmin is a trademark of Garmin Ltd. or its subsidiaries. ADAPT™, Alpha One®, Arctic Cat®, Arctic Mountain Suspension™, Arctic Race Suspension™, ARS™, Ascender™, Arctic Wishbone Suspension™, AWS™, Bearcat®, CATALYST™, C-TEC2™, C-TEC4™, CVTEC™ ATAC®, Mountain Cat®, Power Claw™, ProClimb™, SLIDE-ACTION Rear Suspension™, Sno Pro®, Sno-Cross™, Team Arctic®, Thundercat®, Torque-Sensing Link™ and ZR® Norseman® and BLAST® are trademarks or registered trademarks of Arctic Cat Inc. The Arctic Cat snowmobile brand is among the most widely recognized and respected in the industry. The company designs, engineers, manufactures and markets snowmobiles, in addition to related parts, garments and accessories under the Arctic Cat brand name. Offerings and features are subject to change without notice. For more information, visit: [www.arcticcat.com](http://www.arcticcat.com). ARCTICCAT.COM ARCTIC CAT'S ONLINE HQ. EVERYTHING FROM MACHINES AND SPECS DOWN TO THE ACCESSORIES AND GEAR YOU NEED TO TAKE ON THE WORLD.