

**SRT 700 S / SRT 700 SX**

**QJMOTOR**



**Fearless Journey, Unrivaed Lead**  
POWER YOUR ADVENTURE

# Beyond Limits | All-Terrain ADV that Redefines Boundaries

From urban roads to mountain ridges, SRT 700 SX reshapes your riding experience with formidable performance.

Powered by a 698cc twin-cylinder engine, equipped with all-weather smart features and professional-grade safety systems

Your most reliable partner, for bold adventures and everyday commutes



# First-Class Components, Ready for Any Challenge

Facing even the harshest conditions fearlessly with an all-round design



## Full-Color TFT Display

Ride information at a glance, ensuring safety and convenience throughout your journey



## Adjustable Windshield

Accommodates riders of different sizes for personalized comfort



## Three-Level Handlebar Heating

Precise temperature control to keep your hands warm in the cold weather



## Three-Level Seat Heating

A caring touch to keep every mile warm and pleasant





## Gliding Through Every Ride with Class-Leading Power

Powered by a 698cc in-line twin-cylinder water-cooled engine, delivering an impressive 51.5kW peak power and 70Nm of torque. With a thrilling burst at 8000rpm and peak torque at 6000rpm, the power response is as quick as lightning. Paired with a slipper clutch for smooth gear shifts, a twist of accelerator ignites your journey instantly





## Ideal for Every Adventure: Conquering Rough Terrain with Ease

Equipped with 19" front and 17" rear spoke wheels and super durable, wear-resistant METZELER off-road tires, handling slippery mud effortlessly. The rims balance grip and stability, making complex terrains feel like a smooth road. Adventure has never been more enjoyable for both beginners and experienced riders!

## Top-Class Suspension and Brake Combo

Equipped with 140mm-stroke MARZOCCHI inverted front forks

Effortlessly absorbing bumps and gravel paths

Brembo calipers enhance braking response

Ensuring stability during rapid brake at high speeds

# Where the Light Reaches, Clarity Follows

PMMA 6-beam daytime running lights slice through the haze like a blade of light

Bold by day and sharp through the night, they guarantee all-day clarity without blind spots or compromise



# Venture Ahead: Comfort and Readiness in Every Mile

Heated handlebar and seat deliver instant warmth, letting you break the ice with ease

Wraparound crash bars protect the body, and adjustable windscreen reduces drag

Wide, cushioned seat ensures comfort throughout your journey

400 km of range with a generous 19.5L fuel tank

Factory-equipped and ready to go, no need for aftermarket modifications

Twist the accelerator and embark on your next adventure



# Smart and Connected, Ride Data at a Glance



## 7" full-function TFT display

Real-time navigation display for clear route guidance  
Tire pressure monitoring for early safety alerts  
Multi-language menus to serve riders around the world  
Ease and confidence, every ride



Navigation Display



Call Notification



Tire Pressure Display



Multi-Language Menus

# Redundant Safety Systems for Confident Exploration

## One-touch switching between two riding modes


Normal Mode handles everyday riding with ease, Rain Mode ensures stability on slippery roads; Sport Mode unleashes full performance. Whatever the conditions, your ride adapts with precision.



Normal Mode



Sport Mode



## ABS + TCS Dual Safeguard

ABS can be turned off independently, while TCS reduces slippage risk, enhancing both riding safety and off-road fun

## Side Bracket Shutdown Switch

Engine automatically shuts off when the bike's stopped, preventing accidental starts

# Armed to the Details with Everything You Need

Dual 18W USB fast charging ports keep both your devices and dashcam powered without compromise.

Lightweight aluminum swing arm built for both on-road and off-road adaptability.

Lightweight aluminum crash bars for full protection, no fear of gravel or rough terrain.

All-round protection, ride with safety and peace of mind.



Dual 18W USB fast charging ports



Lightweight aluminum swing arm



# SRT 700 SX

## Technical Parameters



|                 |                                        |
|-----------------|----------------------------------------|
| Type            | 2-Cytinder inline, DOHC, Liquid-Cooled |
| Bore"Stroke     | 83.0*64.5mm                            |
| Displacement    | 698CC                                  |
| Max.Horsepower  | 51.5kw/8000pm(70.1ps)                  |
| MAX.Torque      | 70.0N·m/6000rpm                        |
| Fuel system     | EFI                                    |
| Starting system | Electric                               |
| Clutch          | Wet multi-plate                        |
| Transmission    | 6 Gears, Chain                         |



### Engine

### Chassis

|                  |                                   |
|------------------|-----------------------------------|
| Front suspension | Telescopic Upside Down            |
| Rear suspension  | Telescopic coil spring oil damped |
| Front tyre       | 110/80 R19                        |
| Rear tyre        | 150/70 R17                        |
| Front brake      | Disc 320mm(ABS)                   |
| Rear brake       | Disc 260mm(ABS)                   |

### Dimensions

|                  |                 |
|------------------|-----------------|
| Overall L*W*H    | 2225*925*1420mm |
| Wheel base       | 1510mm          |
| Seat height      | 825mm           |
| Ground clearance | 210mm           |
| Curb weight      | 243kg           |
| Fuel capacity    | 19.5L           |

### Available Colours



### Homologation: E5,E5+

Note: Due to different configuration options, the specifications of your selected model may differ from those shown in this brochure. Final specifications are subject to the actual vehicle purchased.

# SRT 700 S

# Technical Parameters



## Engine

|                 |                                        |
|-----------------|----------------------------------------|
| Type            | 2-Cytinder inline, DOHC, Liquid-Cooled |
| Bore"Stroke     | 83.0*64.5mm                            |
| Displacement    | 698CC                                  |
| Max.Horsepower  | 51.5kw/8000pm(70.1ps)                  |
| MAX.Torque      | 70.0N·m/6000rpm                        |
| Fuel system     | EFI                                    |
| Starting system | Electric                               |
| Clutch          | Wet multi-plate                        |
| Transmission    | 6 Gears, Chain                         |

## Chassis

|                  |                                   |
|------------------|-----------------------------------|
| Front suspension | Telescopic Upside Down            |
| Rear suspension  | Telescopic coil spring oil damped |
| Front tyre       | 120/70 ZR17                       |
| Rear tyre        | 160/60 ZR17                       |
| Front brake      | Disc 320mm(ABS)                   |
| Rear brake       | Disc 260mm(ABS)                   |

## Dimensions

|                  |                 |
|------------------|-----------------|
| Overall L*W*H    | 2200*925*1390mm |
| Wheel base       | 1510mm          |
| Seat height      | 795mm           |
| Ground clearance | 190mm           |
| Curb weight      | 238kg           |
| Fuel capacity    | 19.5L           |

## Available Colours



Homologation: E5,E5+



Note: Due to different configuration options, the specifications of your selected model may differ from those shown in this brochure. Final specifications are subject to the actual vehicle purchased.